INDEX

For Volume 53

INDEX FOR VOLUME 53

AUTHOR AND SUBJECT INDEX. Junior authorship is indicated by page numbers in parentheses. Page numbers of illustrations are in bold face. A special listing is made of "new species, varieties, etc."

Abbott, E. V., 869
Abdel-Nabi, H., 869
Abo-el-Dahab, M. K., (762)
abstracts
annual meeting, APS, 1963, 869
Caribbean Division, APS, 1962, 24
Northeastern Division, APS, 1962, 347
Pacific Division, APS, 1963, 1137
Potomac Division, APS, 1963, 745
Southern Division, APS, 1963, 621
Acalymma vittata, transmits mosaic virus, 890
Acer saccharum, annual canker of, 352
Aceria tulipae, vector of wheat streak mosaic virus in corn, 279
Adams, P. B., 869
Adams, R. E., 745
Afanasiev, M. M., 1137
agar media, sclerotium formation by Helminthosporium hawaiiense on, 232, **232**
age, of egg mass, effect on in vitro hatching of Meloidogyne hapla, 353
Agrobacterium
strains of, 788, **789, 790, 792, 794-796**
rhizogenes
association with Pratylenchus vulnus; 788, **789, 790, 792, 794-796**
effect of nematocides on, 788, **789, 790, 792, 794-796**
in field roses, control of, 788, **789, 790, 792, 794-796**
tumefaciens
on rhododendron, 870
pesticides, organic phosphorus, effect on, 762, **764**
prevented by vancomycin, 1272, **1274**
Agropyron mosaic virus, related to wheat streak mosaic virus, 969, **971**
Aichele, M. D., (1138)
Albugo candida
biological races of, 1146
on radish, nature and inheritance of resistance, 1150, **1152, 1153**
physiological races of, 893
Alexander, L. J., (394), 869
alfalfa
black stem of, fungi isolated from; influence of temperature, 774
infected by Leptosphaerulina briosiana, 891
Meloidogyne spp. on, development of, 1003, **1004**
residues, effect on Verticillium albo-atrum, 1141
rhizospheres, mycoflora of, in South Carolina, 623
root growth of, relation of decomposing plant residues, 884
spring black stem of, related factors, 1340
Uromyces striatus medicaginis in, effect of recurrent phenotypic selection on resistance, 432
wilt bacteria, infecting seedlings with, through wounded cotyledons, 800, **801**
Xiphinema americanum in, population fluctuations of, 66, **67**
alfalfa meal, in control of Phytophthora root rot of avocado, 1383, **1385**
alfalfa mosaic virus
in bean, 2 new strains systemically infectious to, 444, **447**
in Melilotus alba, severe, 188, **189, 190**
in Trifolium pratense, severe, 188, **189, 190**
thermal inactivation of, 1036
alkyl-arsine oxides
fungicidal agents, 869
nematocidal agents, 869
Allan, R. E., (886)
Allen, T. C., Jr., 1137
Allen, W. R., 869, 1436
Allison, C. C., 869
Alper, M., (349)
Al-Sohaily, I. A., 360, 723
Alternaria
crucifers, cultivated, pathogenic on, 643, **644, 646, 647**
inhibited by sym-dibromotetrachloroethane, 755, **756**
ray speck of chrysanthemum, 749, **750-752**
cucumerina, on guar, 890
longipes, in tobacco, epiphytology of brown spot caused by, 450, **452, 453, 455**
porri f. sp. solani, spore germination, inhibition of, 1241
zinniae, in sunflower, causes leaf and stem spot of, 93, **94**
Alternaria onion blotch, spore counts with automatic spore tray, 382, **383**
Altman, J., 870
Amador, E. J., 621
American beachgrass, Ditylenchus radicicola in, histopathology, 872
American Phytopathological Society
annual report, 1
special committees, 3
standing committees, 2
standing rule changes, 21
subject matter committees, 3
amiben, chemical name, 10
amides
effect of Radopholus similis infection of grapefruit on, 419
in bean, infected with halo blight, 522, **523-525**
amines, control Penicillium digitatum on orange, 1053, **1055, 1056**
amino acids
free, effect of Radopholus similis infection of grapefruit on, 419
free, extraction from soil, 876
from acid hydrolysates of Colletotrichum lagenarium, 1365
in bean, infected with halo blight, 522, **523-525**
in plants infected with potato viruses, 871
related to pathogenicity of Venturia inaequalis in wild-type lines of apple, 979
released by Phytophthora infestans, 946, **948**
amino acids and amides
in oats infected by Pseudomonas spp., 885
in tobacco infected by Pseudomonas spp., 885
amino compounds, effect on Aphanomyces euteiches in pea, 116, **117-120**
aminotrichlorophenylacetic acid, retards development of Dutch elm disease, 349
ammonia-generating formulations for control of Penicillium digitatum in citrus, evaluation of, 140, **143-146**
Amo-1618, reduction of high-phosphorus levels in soybean, 874
anatomy, of holly leafspots, 481, **482, 484, 486**
Anderson, N. A., (177), (1267)
Andrews, E. A., 870
Anguina tritici, lethal temperature extremes of, 347
annual report, APS, 1962, 1
antibiotics, production in corn rhizosphere by Streptomyces sp., 995
antibodies, specific virus adsorption by, coupled with solid matrix, 875
antigens, in Prunus necrotic ringspot, 869

Anzalone, L., Jr., 621
Aphanomyces euteiches
asexual reproduction in, physiology of, 883
in pea, effect of amino compounds on root rot by, 116, **117-120**
in pea, effect of sulfur-containing amino compounds on root rot in, 109, **111-113**
use of fluorescent stains in localization of DNA in oospores of, 351
Aphelenchus avenae
parasitizes Kentucky bluegrass, 870
parasitizes tobacco callus, 870
aphids, transmission, latent period for barley yellow dwarf virus, 355, **356**
Aphis gossypii, transmits tobacco etch virus and potato virus Y to pepper, 48
Aphis spiraecola, transmits tobacco etch virus and potato virus Y to pepper, 48
apparatus
automatic suction-impaction spore trap, 382, **383**
oxygen electrode, inexpensive, versatile, 782, **783**
Apple, J. L., (622), (877)
apple
flat apple disease on, new, 1138
green mottle virus in, produces russet ring symptoms on fruit, 603, **603**
virus infection in, biochemical changes, 883
wild-type lines of, Venturia inaequalis on, amino acids related to pathogenicity, 979
apple buds, Erwinia amylovora in, determined by phage typing, 1299, **1301**
apple rot, Pyrenochaeta **mali,** n. sp., cause of, 589, **590, 591**
apricot
stone-fruit ringspot virus complex in, shock symptoms of, 179, **181, 182**
Verticillium albo-atrum in, inactivation of, 1143
Aragaki, M., 854 (1113), (1115), 1194
Arceuthobium campylopodum, on red fir, characteristics, 885
Ascochyta
fabae, toxic metabolite from, has antibiotic activity, 1321, **1322, 1324**
gossypii, growth, cultural, at different temperatures on isolates from Georgia, Alabama, and Texas, 621
ash, die-back disease of, etiological studies, 351
Ashworth, L. J., Jr., (625)
Aspergillus
in high-moisture rice, 804
restrictus, growth of, on agar, effect of light, 893
aster yellows virus, recovery from leafhoppers, 746
Athow, K. L., (871)
atrazine, chemical name, 10
attraction of Pratylenchus penetrans by plant roots, 348
avocado, Phytophthora root rot of, control with alfalfa meal, 1383, **1385**

Bacillus pumilus, infection inhibition and germ-tube lysis of 3 cereal rusts by, 1346, **1347**
bacteria, from cucumber leaves, effect on Colletotrichum lagenarium, 880
bacterial blights, of bean, relation of air temperature, age, and nutrition of host to development, 407
bacterial diseases, role of nematodes in, 35, **37, 38**
Bagnall, R. H., 546
Baker, R., (882), 1137
Bald, J. G., 627, (878), 1137
Baldwin, C. H., Jr., 1299
Balmer, E., 621
banana
Cercospora musae on, comparative anatomy of young and mature plants, 882
Cercospora musae on, relation of sporulating lesions to disease potential, 24
crown rot of, fungi associated with, 271, **272-274**
Fusarium oxysporum cubense in, pathological-anatomical studies of, 162, **163-165**
Bancroft, J. B., (880), (973)
Banfield, W. M., 870
Baniecki, J. F., 745
Bantarri, E. E., 1233
Barash, I., 1137
Bardin, R., (1139)
Barker, K. R., 870
Barker, W. G., (880)
barley
enanismo in, leafhopper transmission of, 106, **106, 107**
Erysiphe graminis hordei in, relationship of genes conditioning pathogenicity, 1326
fungi, survival in kernels of, influence of moisture content, temperature, and length of storage, 713, **714-716**
quinones in, toxicity to loose smut fungi, 692
storage of fungi in seeds of, 348
Ustilago nuda in, resistance after embryo infection, 125, **126, 127**
barley yellow dwarf virus
bioassays of extracts transmitted by Rhopalosiphum padi, 351
latent periods in aphid transmission, 355, **356**
on cereals, resistance to, 649, **650, 651**
on oats, effects of variety, virus strain, and developmental stage of plants, 965
Barnes, G. L., 621
Bart, G. J., 870
Bassett, R. D., (747)
Bateman, D. F., 197, 347, 509, 870, (1139), 1174, 1178
bean
alfalfa mosaic virus in, 2 new strains systemically infectious to, 444, **447**
common bean mosaic virus on, new types of local lesions produced, 490, **490**
cycloheximide residues on, quantitative behavior of, 309
Erysiphe cichoracearum on, 1144
exudates of, effect on Fusarium chlamydospore germination, 809
halo blight in, changes in amino acid and amide content, 522, **523-525**
relation of air temperature, age and nutrition of host to blight development, 407
Rhizoctonia solani in, pectolytic activities of infected tissue, 197, **198-202**
rhizosphere, effects of oat straw and supplemental nitrogen on microbial antagonism in, 885
rhizosphere, microbial antagonism in, affected by oat straw and supplemental nitrogen, 1430, **1432, 1434**
root rot of, effect of phytotoxic substances from decomposing plant residues on, 265, **266, 268**
rust, multiple molecular enzymes in leaves, changes in, 890
southern bean mosaic virus antigen on leaves of, progressive distribution determined with fluorescent antibody stain, 1255, **1256-1257 (color)**
tobacco mosaic virus on, heat activation of, 1144
Uromyces phaseoli typica in
leaf age and susceptibility, 351
stomates as infection courts, 352
bean, lima, Phytophthora phaseoli on, 233, **233**
bean mosaic virus, transmission, relation to length of probes by aphids, 894
bean mosaic virus, common, new types of local lesions produced on bean, 490, **490**
bean pod mottle virus
cowpea mosaic viruses, related to, from Arkansas and Trinidad, 865, **866**
on soybean, interacts with soybean mosaic virus, 887
bean, Red Kidney, gibberellic acid, effect on development of hypocotyl lesions caused by Rhizoctonia solani, 630, **631, 632**
bean yellow mosaic virus
in Pisum sativum, breakdown of mo mo resistance, 886
in red clover leaves, 873

Beck, G. E., (1292)
beet ring mottle disease, 1422
Bega, R. V., 1120, 1198
Beijerinck, M. W., subject of phytopathological note, 862
Bell, W., (236)
Belonolaimus longicaudatus, predisposing agent for Fusarium wilt on cotton, comparison of indices, 1077, **1079**
Bentley, R. M., (352)
bentonite flocculation, test for plant virus antigens, 889
Berberis julianae, Pratylenchus penetrans on, effects on nutrient levels, 877
Berg, L. A., 904
Berger, R. D., 286, 500, (883)
Bergeson, G. B., 871, 1164
Bernard, R. L., (875)
Berry, C. R., 552
Bhatt, D. D., 217
bibliography of reviews, 1961-62, 1217
big-vein virus
in irrigated lettuce crop, fungicidal control, 597
transmission of by Olpidium brassicae, 252
biographical sketch
Childs, Leroy, 1888-1963, 1119, **1119**
Ito, Seiya, 1883-1962, 993, **993**
Kendrick, James Blair, 373, **373**
Rosen, Harry Robert, 1889-1962, 1243, **1243**
biometeorological data collection, symposium article, 1200
biometeorological data interpretation, to describe microclimate, symposium article, 1203, **1204-1208**
biometeorological research, axioms for, symposium article, 1198
biotin, effect of Verticillium albo-atrum on, 1139
Bird, G. W., 347, 871
Bird, L. S., 621, 622
bird-of-paradise, bacterial wilt on, caused by Pseudomonas solanacearum, 1115, **1115**
bird's eye leafspot, on mature rubber tree, 24
birdsfoot trefoil, Stemphylium leafspot and stem canker on, 1094, **1095, 1097**
Black, H. S., 871
Blank, L. M., 921
Blazquez, C. H., 24, 24, 58
blister blight fungus, in tea, effect of nickel chloride as control, 276, **277**
Blodgett, E. C., 1138
Bloom, J. R., (53), 347
blueberry
Botryosphaeria dothidea on, cause of stem blight, 705, **707**
ringspot diseases on, relationships, 1031, **1032-1034**
boll rots, of cotton, related to seed-borne fungi, 984
book listings, 123, 494, 1281
Boone, D. M., (979)
Boothroyd, C. W., (313)
Boswell, T. E., 622
Botrytis
inhibited by sym-dibromotetrachloroethane, 755, **756**
allii, on onion leaves, 669, **671, 672**
cinerea
$C^{14}O_2$, fixation of, by germinating conidia, 880
in safflower, relation of reducing sugars and hydrolytic enzymes, 1137
on onion leaves, 669, **671, 672**
on tomato, effects of lime on incidence of gray mold, 149
ricini, in castorbean, raceme compactness, internode length, position of staminate flowers related to susceptibility, 249, **249, 250**
squamosa, on onion leaves, 669, **671, 672**
Botryodiplodia theobromae, in crown rot of boxed banana, 271, **272-274**
Botryosphaeria dothidea, on blueberry, cause of stem blight, 705, **707**
bottle-gourd mosaic, in cucurbits in Israel, identification of, 193
Boyle, A. M., 242, 1272
Bozarth, R. F., 871
Bozicevich, J., (889)
Bracker, C. E., Jr., (1016)
Brakke, M., (969)
Brandt, W. H., 871
Brase, K. D., (819)
Braverman, S. W., 347, (348)
Bravo, G., (106)
Brennan, E., (348)
Bricker, J. L., (892)
Brinkerhoff, L. A., 1397
broad bean mottle virus, ribonucleic acid from, 880
Brodie, B. B., (1077)
bromegrass mosaic virus
local lesion assays of, on Datura stramonium and Chenopodium hybridum, 69, **71, 73, 76**
purification and properties of, 1285, **1286-1289**
Bromfield, K. R., 745
Brooks, F. A., 1203
Brown, C. M., (965)
Brown, M. F., 347, 871
Brown, W. M., (1138)
Brown, W. M., Jr., 1138
brown spot of tobacco, caused by Alternaria longipes, epiphytology of, 450, **452, 453, 455**
Bruehl, G. W., 205
Bruhn, C., 24, (25)
Bugbee, W. M., 177, 1267
Burchfield, H. P., 871
Burdine, H. W., (891)
Butler, E. E., 1016
butyric acid derivatives, in chemotherapy of Venturia inaequalis, 1261, **1263, 1264**

C_6/C_1 ratios, effect of virus infection on, 350
$C^{14}O_2$, in Botrytis cinerea, fixation by germinating conidia, 880
cabbage, Badger Shipper, affected by new race of Plasmodiophora brassicae, 1426, **1427, 1428**
cabbage virus A, on Nicotiana glutinosa, response to temperature, 1041, **1042**
cacao
cushion gall disease on, effect on yields, 26
cushion gall on, recent advances in research, 25
effect of root exudates of, on development of Phytophthora palmivora, 1337
leaf disorder of, 25
Monilia roreri in, methods of inoculation and environment favorable to infection, 26
cactus, virus infection in, external symptoms and giemsa-stainable cell inclusions, 988, **988**
cactus virus, symptoms, external, and giemsa-stainable cell inclusions, 988, **988**
Cairns, E. J., (621), (624)
Calavan, E. G., 1138
Caldwell, R. M., (569)
Calonectria rigidiuscula, cause of greenpoint on cacao, 25
Caltrider, P. G., 86, 1021
Campana, R. J., (871)
Campbell, R. N., 252, 872
cancroid spot, of citrus, 1415, **1416, 1417**
canker, annual, of maple, 352
Cappellini, R. A., (352)
Capsicum annuum var. Italian El, potato virus Y in, resistance to, 684
captan, thiophosgene split from, by yeast, 881
carbon:nitrogen ratio of soil, effect on soil fungi, 956
carbophenothion, chemical name, 10
Cardiff, E. A., (1072)
Carlstrom, R. C., (1138)
carnation
Phytophthora parasitica on, in Hawaii, characteristics, 1194, **1197**

Pseudomonas caryophylli on, relation of soil temperature to symptom expression, 1237, **1237**
reaction of 21 commercial varieties to Pseudomonas caryophylli, 320, **323**
carotenoids, killing of fungal cells, by prevention of, 746
Carpenter, J. B., (1138)
Carpenter, T. R., (1141)
Carroll, T. W., (366), (1142)
carrot
Pratylenchus penetrans on, lesion injury, 886
production of 3-methyl-6-methoxy-8-hydroxy-3,4-dihydroisocoumarin by root tissue of, 1244
Rhizopus stolonifer on, physiology of, 882
carrot discs, nematode-induced callus on, grown in vitro, 1309, **1310**
carrot slices, Thielaviopsis basicola in, activity of soluble oxidases, 497, **497, 498**
Carver, R. G., (768)
castorbean, Botrytis ricini in, raceme compactness, internode length, position of staminate flowers related to susceptibility, 249, **249, 250**
Castro, J., 24
Catanaria anguillulae, activity against plant-parasitic nematodes, 1140
Catani, S. C., 872
Cation, D., 872
cellulase, of Rhizoctonia solani, 1178, **1179, 1181-1184**
cell-wall components of fungus, biological disease control, addition to soil for, 1068, **1069, 1070**
Cephalosporium
biotypes inhibitory to Fusarium wilt, selection of, 869
inhibits Fusarium wilt in cowpea, 881
on cotton, prevention of Fusarium wilt symptom development, 887
diospyri, on persimmon, cause of wilting, 1402, **1403, 1405**
gramineum, Hymenula cerealis, the sporodochial stage of, 205, **206, 207**
maydis, cause of late wilt disease of corn, 402, **403, 405**
Cerastocystis
on Pinus ponderosa, 1140
fagacearum
in bur oak roots, related to spread of oak wilt, 884
in oak, sporulation in wounds of, 348
fimbriata, on stone-fruit trees, 873
ulmi
conidial movement from terminal twigs, 871
in elm, chemical that retards development of, 349
seasonal fluctuations in susceptibility of seedlings, 846, **847, 849, 851, 852**
Cercospora
aleuritides, infection by, related to oil application on tung leaves, 892
musae
on banana, comparative anatomy of young and mature plants, 882
on banana, relation of sporulating lesions to disease potential, 24
zebrina
in alfalfa black stem, 774
relation of environmental factors to growth and sporulation of, 286, **292, 293**
Cercosporae
host-parasite relationships, related to disease development, 500, **504, 505**
morphology, related to disease development, 500, **504, 505**
pathogenicity, related to disease development, 500, **504, 505**
cereal, rusts of, infection inhibition and germ-tube lysis of, by Bacillus pumilus, 1346, **1347**
Cervantes R., J., 24
Cetas, R. C., 347
Chambers, A. Y., 622
Chambers, H. L., 1006
Chandler, P. A., (788)
Changsri, W., 643
Chapman, R. A., 1003
chemotherapy, Cytospora canker of peach, 562, **563, 565-567**
Chen, Tseh-An, 348, (349)
Chenopodium
hybridum, bromegrass mosaic virus on, local-lesion assay of, 69, **71, 73, 76**
murale, tobacco mosaic virus in, characteristic form, 627, **628**
cherry
cycloheximide residues on, quantitative behavior of, 309
fungous flora from nonsuberized roots of, 1368
Montmorency sour, necrotic ringspot virus in, 872
reductions in fruit sets when pollinated from trees with sour cherry yellows, 399
sour cherry yellows in, causes fruit set reductions, 352
sour
plant introductions, probable sources of resistance to Monilinia fructicola, 883
Pratylenchus penetrans, host for, 730
prune dwarf virus in, nonuniform distribution of, 819
sweet
attempt to detect virus-free buds in latent virus-infected trees, 718
pattern and rate of movement of prune dwarf virus in, 998, **1001**
prune dwarf virus in, nonuniform distribution of, 819
rough fruit of, 1144
var. Lambert, "short-stem" condition, 1137
cherry necrotic ringspot virus, sedimentation properties, 891
Chessin, M., 988
Chi, C. C., 872
Chiarappa, L., (366)
Chiaravalle, P. D., 872
Childs, J. F. L., 872
Childs, L., 1888-1963, biographical sketch, 1119, **1119**
Childs, T. W., 1124
Chinn, S. H. F., 1109
chitin-lignin soil amendments, for control of Fusarium solani f. phaseoli, 882
chitinase, unable to lyse fungal mycelium, 881
Chiu, R., 69
Chiu, R.-J., 1285
chlamydospores, of Ustilago avenae, effect of low temperature on germination, 357, **357**
chlorazine, chemical name, 10
chlorinated water, effects on Rhizopus rots of peach, 950, **951-954**
chloropicrin, controls damping-off of Pythium ultimum on melons, 1144
chlorotic dwarf, on eastern white pine, 874
Chohan, J. S., 872
Christensen, C. M., (713), (893)
Christensen, J. J., (831)
Christiansen, D. W., (1138)
chrysanthemum, Stemphylium floridanum on, ray speck, 749, **750-752**
citrus
cancroid spot of, 1415, **1416, 1417**
exocortis of, rapid-index methods for, 1138
Fusarium solani in, growth reduction of seedlings, influences of other factors, 488, **488, 489**
jambhiri, Tylenchulus semipenetrans in, 892
Penicillium digitatum in, evaluation of ammonia-generating formulations for control of, 140, **143-146**
Physoderma-like fungus in, 872
Phytophthora parasitica on, variations in pathogenicity, 876
seedlings of, method of infesting with Tylenchulus semipenetrans, 228, **228, 229**
sym-dibromotetrachloroethane, controls fruit decay of, 755, **756**

Cladosporium fulvum, nutrition, related to development in tomato, 876
Cladosporium spot, in southern pea, resistance to, 625
Clark, M. C., (885)
Clayton, C. N., (705)
Clitocybe tabescens, infection of lychee and peach seedlings, 358
clover, root symptoms and anatomical changes in, from injury by Pratylenchus penetrans and 2,4-dichlorophenoxyacetic acid, 349
clover, red
bean yellow mosaic virus in leaves of, 873
seed transmission of viruses on, 1139
clover, white
Meloidogyne spp., effect on growth in field bins, 877
soil fungi, effect on growth in field bins, 877
clover yellow mosaic virus, seed transmission of, 1139
Cobb, F. W., 348
Coccomyces hiemalis, effect of cycloheximide on germination of conidia, 235
Cochliobolus
carbonum, crossed with Cochliobolus victoriae, gene systems for pathogenicity in, 101
sativus, spore germinability in soil, an inherent character, 1109, 1111
Cochrane, J. C., 1155
Cochrane, V. W., (1155)
coconut palm, Guam disease of, significance of empty nuts, 349
coffee, Myrothecium roridum in, causes stem necrosis and leafspot, 25
Cohen, M., 358
Cohen, S., 193
Colletotrichum
cross-inoculation studies, 745
production of pectinolytic and cellulolytic enzymes, 961
dematium, on guar, 890
destructivum, in alfalfa black stem, 774
fragariae, in strawberry, cause of new crown rot, 768, **769**
graminicolum, cause of corn disease, 364, **364, 365**
lagenarium
acid hydrolysates from, amino acid content, 1365
bacteria from cucumber leaves, effect on, 880
orbiculare
enzymes from conidia and matrix of, 886
mycelial protein comparisons of isolates, 882
trifolii
enzyme production by, 877
stimulation of spore germination of, 350
Colotelo, N., (876)
Compton, L. E., (569)
conditions for systemic invasion by virus of a hypersensitive host, letter to the editor, 618
Condon, P., 1244
conidia
extraction of, from elm wood, 347
of Verticillium albo-atrum, effect of root exudates on germination of, inhibited by soil fungistasis, 260
conifers, white-rot fungi in, resistance to, 351
control
of nematodes in cranberry, 347
of purple top wilt of potato, influence of planting dates on, 24
Converse, R. H., (883), 1251
Cook, A. A., 622, 720, 1060
Cooper, G. R., (350)
Cooper, W. E., 1077
Corden, M. E., (1006), 1138, (1388)
corn
Diplodia zeae on stalks, relationship of water content and living cells to spread, 1100, **1102, 1104**
disease caused by Colletotrichum graminicolum, 364, **364, 365**
Gibberella zeae in, symptoms induced by root injury, 624
Helminthosporium turcicum in, selections for, 25
Helminthosporium turcicum on seedlings, monogenic chlorotic lesion resistance, 909, **910, 911**
late wilt disease of, caused by Cephalosporium maydis, 402, **403, 405**
pathogenicity of a hybrid head smut, 360
Physopella zeae on, pathogenicity studies, 25
Pratylenchus penetrans in roots of, 313, **314**
Pratylenchus penetrans in roots of, reproduction on various media, 888
Puccinia sorghi in, second major gene locus conditioning resistance to, 221
rhizosphere, antibiotic production of Streptomyces sp. in, 995
root exudate, fungi associated with, 882
root rot of, effect of crop rotation on, 1412
rusts, comparative pathology of, 517, **519, 520**
seedlings
effect of Helminthosporium leafspot on organic acid content, 341
Helminthosporium turcicum, inheritance of chlorotic-lesion resistance to, 660
Sphacelotheca reiliana in
physiologic specialization, 723
resistance to in Mexican races, 24
stalk rot of
effect of crop rotation on, 1412
susceptibility to, following root and leaf injury, 624
sugarcane mosaic virus in, electron microscopic demonstration of particles, 469, **470, 471**
wheat streak mosaic virus on, 279
corn stunt virus
resistance to, tests for in tropical Mexico, 25
transmission, and attenuation in new host, Vinca rosea var. alba, 350
Corticium fusiforme, on turfgrass, effect of temperature on growth and disease spread, 857
Corynebacterium insidiosum
on alfalfa seedlings, infecting through wounded cotyledons, 800, **801**
persistence in soil, 1167, **1168**
Costa, A. S., (1422)
Cotter, R. U., 344
cotton
boll rots, related to seed-borne fungi, 984
common antigens with Xanthomonas malvacearum, related to host specificity and disease resistance, 1142
disease control, in-covering soil fungicides, nematocides, and insecticides, 622
Fusarium oxysporum f. vasinfectum in, 624
Fusarium wilt on
nematodes as predisposing agents, 1077, **1079**
prevention of symptom development by Cephalosporium sp., 887
reactions to, 586, **588**
isolates of Rhizoctonia solani, tolerant to pentachloronitrobenzene, 1407, **1408**
leaf crumple virus in, intranuclear inclusion bodies in infected leaves, 243, **243**
Meloidogyne incognita acrita in, 624
Puccinia stakmanii on, factors affecting development, 921, **923-926**
Rhizoctonia solani on, identification of 3 physiologic races, 889
seedling hypocotyl of, infection by isolate of Rhizoctonia solani, 1331, **1332, 1334**
seedling, infected by Rhizoctonia solani, 623
Verticillium wilt in, reactions to, 586, **588**
Xanthomonas malvacearum on, internally infected seed as source of inoculum for, 1397, **1399, 1400**
Couch, H. B., (53)
Cowling, E. B., (351), 873
cowpea
black, inheritance of resistance to tobacco ringspot and cucumber mosaic viruses in crosses, 337
Fusarium wilt in, inhibition by Cephalosporium spp., 881

cowpea mosaic viruses, bean pod mottle virus related to, 865, **866**
Coyier, D. L., (1138)
Crall, J. M., 873
cranberry, nematodes on
control of, 347
effects on growth, 871
Criconemoides
curvatum, on woody ornamentals, effects, 746
macrodorum, digonic hermaphroditism in, 873
Cronartium
comandrae, basidiospores of, infect Pinus contorta, 870
fusiforme, sporidial germination of, in vitro, 987, **987**
crop plants, spectral reflectance studies on, 747
crop rotation, effect on yield, stalk rot and root rot of corn, 1412
Crosier, W. F., 348
Crossan, D. F., (745)
cross-protection tests, of 5 cucurbit viruses in Israel, 193
Crozier, J. A., 348
Cruciferae, Alternaria spp. on, pathogenic to, 643, **644, 646, 647**
Crum, R. A., (337)
cucumber, cucumber mosaic virus on infected resistant and susceptible varieties, metabolism of, 1349, **1350, 1352, 1353**
cucumber mosaic virus
antiserum, for vector transmission studies, 674, **675**
in cucurbits in Israel, identification of, 193
inheritance of resistance to, in black cowpea, 337
on passion fruit, causes woodiness disease, 1143
on resistant and susceptible cucumber varieties, metabolism of infected plants, 1349, **1350, 1352, 1353**
related to tomato aspermy virus, 876
cultural control, of Gloeotinia temulenta in ryegrass seed fields, 460, **461, 462**
culture, of Fusarium oxysporum, physiology of, of selective pathogenicity in, 133, **136, 138**
Curtis, C. R., 873
Curvularia lunata, in bluegrass, histological relationships to Helminthosporium vagans and H. sativum, 351
cushion gall disease, on cacao
effect on yields, 26
recent advances in research, 25
Cuticularia ilicis, on English Holly, 1138
cycloheximide
effect on germination of conidia of Coccomyces hiemalis, 235
reaction of lesion nematodes, Pratylenchus penetrans to, 352
residues on bean and cherry, quantitative behavior of, 309
Cylindrocladium scoparium, infects spruce seedlings, 1267, **1268, 1269**
Cytospora
canker, in peach trees, chemotherapeutic suppression and exaggeration of, 562, **563, 565-567**
cincta, assay organism, on Prunus domestica, 895, **896**
sacchari, disease cycle of, 875

Dactylella
ring formation in, 875
stenomeces, new species on Pythium oospores, 1050, **1051**
Dactylocteniu, leaf blight of, caused by Helminthosporium holmii, 2[illegible], **282, 283**
dahlia, ringspot virus from, 1140
Daines, R. H., 348
dapple apple, effect on apple tree growth in New Hampshire, 896
Darling, H. M., (374)
Dast, N. P., (988)
Datura stramonium
bromegrass mosaic virus on, local-lesion assay of, 69, **71, 73, 76**
tobacco mosaic virus in, systemic induced resistance to, 306, **306**
Davey, C. B., (109), (116)
Davis, D., 133
Davis, R. A., 745
Davison, A. D., 456, 736, 1138
DCNA, in Rhizopus arrhizus, 893
De Groot, R. C., 348, 873
Delgado, J. C., (26)
Dennis, H. E., (600)
D-ethionine, systemic and fungicidal activity, 883
DeVay, J. E., (630), 873, (1142)
dew, significance and measurement, symposium article, 1210, **1211-1214**
DeWolfe, T. A., (302)
deZeeuw, D. J., 337, (674)
DeZoeten, G. A., (1142)
Diab, K. A., 873
Diabrotica
longicornis, transmits mosaic virus, 890
undecimpunctata howardii, transmits mosaic virus, 890
virgifera, transmits mosaic virus, 890
Diachun, S., 873
1,2-dibromo-3-chloropropane
effect on citrus nematodes, on grapefruit trees, 1011, **1013, 1014**
toxicity of mixtures with 1,2-dibromoethane to Meloidogyne javanica, 428
1,2-dibromoethane, toxicity of mixtures with 1,2-dibromo-3-chloropropane to Meloidogyne javanica, 428
dichlone, on Rhizoctonia solani, adapted tolerance, 875
2,6-dichloro-4-nitroaniline
effects on Rhizopus rots of peach, 950, **951-954**
in medium producing variant of Gilbertella persicaria, 97, **98-100**
mode of action on Rhizopus arrhizus spores, 1144
tolerance of Hypomyces solani f. cucurbitae, mode of inheritance, 1086, **1087, 1089-1091**
tolerance of Rhizopus spp. to, variations in, 1141
2,4-dichlorophenoxyacetic acid, in clover and lettuce, root symptoms and anatomical changes from injury by, 349
Dickey, R. S., (320), 1237
Dickson, J. G., (25), (517)
Dickson, R. C., (48)
die-back disease, of ash, etiological studies of, 351
DiEdwardo, A. A., 874
Diener, T. O., (871)
Diller, J. D., 745
dimethrin, chemical name, 10
Dimond, A. E., (574)
Dioscorea tubers, Meloidogyne incognita in, control of, 24
Diplodia
inhibited by sym-dibromotetrachloroethane, 755, **756**
viticola, produces xylanase system, 592, **593-595**
zeae
in corn, susceptibility to, following root and leaf injury, 624
in corn stalks, relationship of water content and living cells to spread, 1100, **1102, 1104**
directory, 1963 edition, Part II, July issue, D1-112
distribution, uneven, of Fusarium oxysporum cubense in Honduras soils, 167, **168**
Ditylenchus
destructor, pathogenic variation and nutritional requirements, 374, **378, 379**
radicicola
in American beachgrass, histopathology, 872
in several hosts, histopathology, 872
DL-ethionine, systemic and fungicidal activity, 883
DNA, in oospores of Aphanomyces euteiches, use of fluorescent stains in localization of, 351
Doak, K. D., (26)
Dochinger, L. S., 874
Doeung, S. T., 874

Dothidella ulei
histology of parasitism of, 24
in hevea rubber tree, histological studies on susceptible and resistant clones, 58, **59, 60**
Douglas-fir
Phytophthora cinnamomi on, 1128
Poria weirii on, 1124, **1125, 1126**
Dowler, W. M., 874
Drake, C. R., 1094
Draudt, H. N., (1244)
Drechsler, C., 1050
Driver, C. H., 874
Dropkin, V. H., 663
Drosophila melanogaster, role in epiphytology of tomato fruit rots, 1016
dry rot, of acorn squash, 874
duazomycin A., reaction of lesion nematodes, Pratylenchus penetrans to, 352
Dudley, J. W., (432)
Duffus, J. E., 1422
Dukes, P. D., 622
Dunleavy, J., 874
Duran, R., (1142)
Durbin, R. D., (876)
durum, stem rust reaction in, inheritance of, 295
Dutra, J. C., (880)
dwarf bunt, incidence and control in perennial grasses, 460, **461, 462**
dwarf bunt of wheat, mycelial, monosporidial isolates used in crosses, 1235
Dwurazna, M. M., 839

Eastburg, P. H., 1138
Easton, G. D., 349
Echandi, E., (25)
Eckert, J. W., (129), 140, 755, 1053
Edgington, L. V., 349, (605)
eggplant, Verticillium albo-atrum in, screening for resistance, 347
Ehrlich, H. G., 1378
Ehrlich, M. A., (1378)
Eichenmuller, J. J., (745)
electron microscopy
demonstration of sugarcane mosaic virus particles in corn and sugarcane, 469, **470, 471**
of sheath surrounding haustorium of Erysiphe graminis, 1378, **1379**
of soybean mosaic virus, 388, **392**
of tobacco rattle virus, 1137
El-Helaly, A. F., 762
Ellingboe, A. H., (882)
elm
Ceratocystis ulmi in
chemical that retards development of, 349
conidial movement, 871
seasonal fluctuations in susceptibility, 846, **847, 849, 851, 852**
conidia in, extraction from wood, 347
Elsaid, H. M., 622, 875
emergence tipburn, in white pine, ozone possible cause of, 552, **553, 554, 556**
Emge, R. G., 745
enanismo, of small grains, leafhopper transmission of, 106, **106, 107**
Endo, B. Y., 622
Endo, R. M., 649, 857, 965
endosulfan, chemical name, 10
endothall, chemical name, 10
English, W. H., (873)
English Holly, Cuticularia ilicis on, 1138
enzymes
cellulolytic
produced by Glomerella spp., 961
produced by Rhizopus stolonifer, 929, **930**
changes associated with Helminthosporium victoriae in oats, 436, **437, 438**
glyoxylate, in uredospores of Puccinia graminis tritici and Uromyces phaseoli typica, 86, **88-91**
pectinolytic
produced by Glomerella spp., 961
produced by Rhizopus stolonifer, 929, **930**
epiphytology, of tobacco brown spot caused by Alternaria longipes, 450, **452, 453, 455**
Epitrix cucumeris, tobacco mosaic virus vector of, 822, **824**
Erwinia amylovora
in apple buds, detected by phage typing, 1299, 1301
phages of, relation to bacterial isolates from apple buds, 876
carotovora
on iris, related to Macronoctua onusta, 1190, **1190, 1191**
pesticides, organic phosphorus, effect on, 762, **764**
Erysiphe
cichoracearum, on bean, predisposition to, 1144
graminis
electron microscopy, 1378, **1379**
hordei, on barley, relationship of genes conditioning pathogenicity, 1326
tritici, maturation of appressoria, effect of light, 882
polygoni, host range and pathogenicity, 890
etiology, of die-back disease of ash, 351
Exner, B. B., (623), (1331)

Feder, W. A., 875
Feldman, A. W., (419)
Feldmesser, J., 875
Fergus, C. L., (348), 1360
Ferris, V. R., 875
field molds, in high-moisture rice, 804
fir, red, Arceuthobium campylopodum on, characteristics, 885
Fischer, P. C., (988)
flat apple disease, new disease on Red Delicious apple, 1138
Fliegel, P., 1368
Flores, E., 238
Flores, S., 875
fluorescent antibody staining of southern bean mosaic virus in leaves, 1255, **1256-1257 (color)**
fluorescent stains, in localization of DNA in Aphanomyces euteiches oospores, 351
folpet, chemical name, 10
Fomes
annosus
basidiospore dispersal of, effects of temperature and moisture on, 352
in Pinus echinata, effect of inoculum potential, 877
in slash pine, control of, 874
isolates of, cellulolytic activity, 873
sporulation by basidiocarps, in autumn and winter, 1141
symposium article, 1120, 1121
pini, in eastern white pine
weeviled leaders favorable infection courts for, 348
wood extractive content, 873
Forbes, I. L., (875)
Ford, R. E., (894), 1138, 1139
Fordyce, C., Jr., 701
Foster, R. E., 600
Fourton, H., (25)
Frankliniella fusca, vector of tomato spotted wilt virus, 412
French, D. W., (882)
French, E. R., 875
Friedman, S., (548)
Frolich, E. F., (1138)
fruit shipping containers, automatic measurement of relative humidity in, 129, **130-132**
Fuentes, S., 24
Fulton, R. H., 24, (882)

fumigants, general soil, effectiveness of methylisothiocyanate under tropical conditions, 25
fungi
associated with crown rot of boxed banana, 271, **272-274**
associated with strawberries in Oregon, inter-relationships among, 217, **219, 220**
inhibition of, by culture media previously exposed to light, 1280, **1281, 1282**
pathogenic, effects of sodium fluoride on growth, 891
fungicides
common names, 10
high-potency, on Prunus domestica: absorption, toxicity, and bioassay, 895, **896**
inoculum potential and effective dosage, in soil, 1141
nickel, for commercial control of Puccinia striiformis in bluegrass, 209
organic, on Rhizoctonia solani, effects of temperature, specificity, and permanence of adapted tolerance, 622
soil, method for evaluating, 891
tolerance to, 1081, **1083, 1084**; 1086, **1087, 1089-1091**
fungistasis
inhibits effect of root exudates on germination of Verticillium albo-atrum conidia and microsclerotia, 260
in soils, direct assay for, 529
of sterilized soil inoculated with soil microflora, 917
fungitoxicity, of sterilized soil inoculated with soil microflora, 917
fungus, Physoderma-like, in citrus, 872
fungus, ergot, response to host plant nutrition, 363
fungus diseases, role of nematodes in, 28
Fusarium
cause of wheat scab, resistance caused by Gibberella zeae, 831, **834, 835**
in alfalfa black stem, 774
Streptomyces rimosus on, 872
moniliforme, corn root exudate associated with, 882
nivale, on turfgrass, effect of temperature on growth and disease spread, 857
oxysporum
in test tube culture, physiology of selective pathogenicity in, 133, **136, 138**
soil moisture, effect on, 875
soil temperature, effect on, 875
batatis, on sweetpotato, anatomical aspects of resistance, 747
carthami, in safflower seed, 1046, **1046-1048**
cubense
effect of fungicides on respiration, 891
in banana, pathological-anatomical studies of, 162, **163-165**
in Musa, wilt resistance, 26
survival in soil, effect of urea applications on, 332, **334**
uneven distribution of, in Honduras soils, 167, 168
lycopersici, on tomato, semeiography, 1006, **1007, 1008**
niveum, physiologic specialization in, 873
pisi, race 1, effects of Meloidogyne spp. and Tylenchorhynchus claytoni on, 745
vasinfectum, in cotton, related to Meloidogyne incognita acrita, 624
roseum, in crown rot of boxed banana, acting in association, 271, **272-274**
solani
in citrus, growth reduction of seedlings, influence of other factors, 488, **488, 489**
spore germination of, requirements, 1155, **1157, 1159**
phaseoli
chlamydospore germination in soil, effects of bean exudate, 809
chlamydospores, production of, in soil extracts sterilized by filtering, 880
control of, by chitin-lignin amendments, 882
fungus lesions, influence on plant exudation and chlamydospores, 610, **611**
virus lesions, influence on plant exudation and chlamydospores, 610, **611**
Fusarium rot, of ginger, 1370, **1370, 1371**
Fusarium wilt
Cephalosporium, biotypes inhibitory to, 869
in cotton, reactions to, 586, **588**
in cowpea, inhibition by Cephalosporium spp., 881
in tomato stems, symptoms related to activity, 574, **576, 577**
of cotton, nematodes as predisposing agents, 1077, **1079**
of cotton, prevention of symptom development by Cephalosporium sp., 887
Fusicladium effusum, growth, on common and exotic agar media, 621
Futrell, M. C., (230), (879)

Gallegly, M. E., (899)
Galvez, G. E., 106, 388, 875
Garber, M. J., (140)
Garnsey, S. M., 1139
Garren, K. H., 746, 746
genetics
effect of recurrent phenotypic selection on alfalfa resistance to Uromyces striatus medicaginis, 432
inheritance of stem rust reaction in durum, 295
of pathogenicity, in Cochliobolus carbonum x Cochliobolus victoriae cross, 101
of pathogenicity of Puccinia carthami, 184
of resistance of corn to Puccinia sorghi, second major gene locus for, 221
Georgopoulos, S. G., 1081, 1086
Geotrichum
inhibited by sym-dibromotetrachloroethane, 755, **756**
candidum, on tomato, role of Drosophila melanogaster, 1016
geranium, Xanthomonas pelargonii in, whitefly transmission, and histology of leafspot, 177, **178**
Gerdemann, J. W., (747), 863 (1317)
germination
of Cercospora zebrina, relation of environmental factors, 286
of conidia and microsclerotia of Verticillium albo-atrum, soil fungistatis inhibits effect of root exudates on, 260, **262**
Gerwitz, D. L., 876
Ghabrial, S. A., 876
Giemalva, M. J., 1187
Gibberella zeae
corn root exudate, associated with, 882
symptoms, induced by root injury, 624
wheat scab, factors affecting resistance to, 831, **834, 835**
gibberellic acid, on Red Kidney bean, effect on development of hypocotyl lesions caused by Rhizoctonia solani, 630, **631, 632**
Gilbert, R. G., 876
Gilbertella persicaria, variants of, from medium containing 2,6-dichloro-4-nitroaniline, 97, **98-100**
Gilmer, R. M., (352), 369, (399), 819
ginger, Fusarium rot of, 1370, **1370, 1371**
glassy spot, of citrus, 1415, **1416, 1417**
Gloeosporium musarum, in crown rot of boxed banana, acting in association, 271, **272-274**
Gloeotinia temulenta, in ryegrass, control by cultural methods, 460, **461, 462**
Glomerella
production of pectinolytic and cellulolytic enzymes, 961
cingulata
conidia of, lipid constituents, 879
cross-inoculation studies, 745
growth and sporulation of, effect of temperature and medium, on, 352

mycelial protein comparisons of isolates, 882
storage in seeds of small grains, 348
gossypii, in cotton, related to boll rots, 984
magna, mycelial protein comparisons of isolates, 882
glucose catabolism, in fungus spores, respiratory activity and enzymes for, 1021, **1024, 1028**
Goheen, A. C., 1139
Gold, A. H., 1139, (1143)
Goldstrohm, D. D., 746
Gomphrena globosa, potato virus X in, systemic induced resistance to, 306, **307**
Gonzalez, L. C., 82, 1041
Goodding, G. V., Jr., 475
Goodman, R. N., 876, (1299)
Goos, R. J., (271)
Gotan, S. K., (884)
Goth, R. W., 233, 357, (490), (894)
Gottlieb, D., (1021)
Gough, F. J., (904)
graft-transmission, of factor associated with pear decline, 366
Graham, K. M., (88[illegible])
Graham, T. W., 623
grape
powdery mildew, relation of osmotic value and other factors, 1139
yellow vein disease in, purification and serology of associated virus, 475, **476-479**
grapefruit
citrus nematodes on, decline related, 1011, **1013, 1014**
Radopholus similis in, effect on free amino acids and amides in roots, 419
grass
blue-
histological relationships of Helminthosporium vagans, H. sativum, and Curvularia lunata in, 351
Puccinia striiformis in, commercial control with nickel fungicides, 209
Highland bent-, Pythium blight of, effect of nutrition, pH, soil and air temperature, and soil moisture on, 53, **56**
perennial, Tilletia contraversa in, incidence and control, 579
Lolium perenne, Gloeotinia temulenta in seed fields of, control by cultural methods, 460, **461, 462**
Green, R. J., Jr., (260), (701)
green mottle virus, on apple fruit, produces russet ring symptoms, 603, **603**
Greene, G. L., 271
greenspoint, on cacao, caused by Calonectria rigidiuscula, 25
Griffin, G. D., 876
Grimm, G. R., 876
Grimm, R. B., 436
Grinchenko, A. H. H., 876
Grogan, R., (1139)
Grogan, R. G., (252), 876
Guam disease of coconut palms, significance of empty nuts, 349
guar, diseases of, 890

Hagedorn, D. J., 188, (245), (813), (887)
half-life, in plant viruses, application of concept, 548, **549, 550**
halo blight, in bean, changes in amino acid and amide content, 522, **523-525**
halogenated hydrocarbon, toxic to Tylenchulus semipenetrans larvae, 423, **424, 425**
Halpin, J. E., 877
Hampton, R. E., 497
Hampton, R. O., 718, 998, 1139
Hancock, J. G., (350), 669, 877
Hanks, R. W., 419
Hansen, A. J., (25)
Hanson, E. W., (188), (286), (500), (890), (938)
Hardison, J. R., 209, 460, 579
hardwoods, in Iowa, wound heartwood in, 877
Harrison, A. L., 623
Harrison, W. B., (347)
Hart, J. H., 877
Harvey, A. E., (895)
Hawn, E. J., (1395)
Heald, C. M., 746
Heald, C. M., Jr., 877
heat therapy, of Uromyces phaseoli, 1313, **1313-1315**
Hebert, T. T., 362, (692)
Heggestad, H. E., (1304)
Hehn, E. R., (1239)
Heimbeck, L. S., 862
Helminthosporium
evolution of sexuality, effects of geographic isolation and host association, 884
in alfalfa black stem, 774
storage in seeds of small grains, 348
hawaiiense, sclerotium formation by, 232, **232**
holmii, Trichometasphaeria holmii perfect stage of, causes Dactyloctenium leaf blight, 281, **282, 283**
pediscellatum, corn root exudate associated with, 882
sativum
in bluegrass, histological relationship to H. vagans, Curvularia lunata, 351
soil bacterium on, fungistasis effects on conidia and hyphae, 885
turcicum
in corn, selections for resistance against, 25
in corn seedlings, monogenic chlorotic lesion resistance to, 909, **910, 911**
in seedling corn, inheritance of chlorotic-lesion resistance, 660
vagans, in bluegrass, histological relationship to H. sativum, Curvularia lunata, 351
victoriae
genetic control of toxin production, 385
in oats, respiratory and enzymatic changes, 436, **437, 438**
normal and diseased, serological differentiation, 881
respiratory effects of selective toxin of, 465, **466, 467**
toxin, uptake by oat tissue, 888
Helminthosporium leafspot, effect on organic acid content of corn seedlings, 341
Helton, A. W., 562, 895
Henderson, Ascochyta toruloidea, on walnut, pathological anatomy of branches, 1141
Hendrix, F. F., Jr., 877, (1280)
Hendrix, J. W., Jr., 878
Hendrix, James W., 877
Henson, L., (87[illegible])
Hepting, G. H., (1[illegible]35)
herbicides, common names, 10
Hernandez, T. P., (1[illegible]87)
Herold, F., 469
Herridge, E. A., 481
Heterodera
new, pathogenic to St. Augustine grass, 874
glycines
in soybean roots, penetration, infection, development, related anatomical changes, 622
larval emergence, from cysts, seasonal variation, 608, **608**
survival of encysted eggs and larvae, ingested by swine, 889
lespedeza, life cycle and host range, [illegible]78
Hewitt, W. B., (39), 878
Hildebrandt, A. C., (782), (889), (1292)
Hill, R. R., Jr., 432
Hilu, H. M., 909
Hine, R. B., 727, (854), 1113, 1194
Hingorani, M. K., (402)
Hirumi, H., 746

histology
of Dothidella ulei on susceptible and resistant hevea rubber trees, 58, **59, 60**
of Helminthosporium vagans, H. sativum, and Curvularia lunata in bluegrass, 351
of leafspots of geranium caused by Xanthomonas pelargonii, 177, **178**
Hix, S. M., (1137)
Hobbs, C. D., 230, (879)
Hodges, C. S., Jr., 1132
Hoffman, J. A., (879), (1419)
Hoffman, P. F., (639)
Hoja blanca, in rice, cause of yield loss, 492, **492**
Hollis, J. P., 878
holly, leaf spots of, pathological anatomy of, 481, **482, 484, 486**
Holm, R. E., (747)
Holmes, F. O., 349, 878
Hooker, A. L., 221, 660, (909)
Hooker, W. J., 878
hops, Pseudoperonospora humuli in, chemotherapeutic effects of streptomycin on, 472
Horn, N. L., (623), 768
Horner, C. E., 472, 1063
host(s)
age of, effect on Sclerotium bataticola in sunflower, 350
new, of corn stunt virus, transmission and attenuation in, 350
of Thielaviopsis basicola, effect on populations in soil, 347
host-parasite reaction, effects of diurnal temperature profiles, on wheat—Puccinia striiformis, 889
host-parasite relations
of Cercosporae, 500, **504, 505**
of Pratylenchus penetrans, Meloidogyne hapla, and M. incognita acrita in pepper, 325, **326**
host range
of 5 cucurbit viruses in Israel, 193
of soybean mosaic virus, 388, **392**
Houston, B. R., (241), (630)
How, S. C., 279
Howard, C. M., 1190
Howard, F. L., (869)
humidity
optimum, for sporulation of Cercospora zebrina, 286
relative, automatic measurement of in static atmospheres, 129, **130-132**
Hung, Y.-P., 878
Hunter, R. E., (1397)
Husain, M., 879
Husain, S. M., 382
Husain, S. S., 532, 541
Hutchins, L. M., 25
Hutchins, P. C., (875)
hydrogen cyanide, formed by mycelial stage of Marasmius oreades, 1395
Hymenula cerealis, sporodichial stage of Cephalosporium gramineum, 205, **206, 207**
Hypoderma needle cast, on eastern white pine, 870
Hypomyces solani cucurbitae
sexual reproduction in
effect of light, 873
effect of nitrogen compounds, 1137
tolerance to PCNB, mode of inheritance, 1086, **1087, 1089-1091**
tolerance to TCNB, mode of inheritance, 1086, **1087, 1089-1091**
Hypomyces solani cucurbitae, race 1, chlorinated-nitrobenzene-tolerant strains of, pathogenicity, 1081, **1083, 1084**

identification of races of Uromyces phaseoli, simplified method, '56, **457, 458**
Ilex rotundifolia, Pratylenchus penetrans on, effects on nutrient levels, 877
indoleacetic acid oxidase, in tobacco, inhibited by Pseudomonas solanacearum, 889
infection, artificial, of spruce with Polyporus tomentosus, 441, **442**
infrared photography of potato late blight, 350
inhibitor, of virus, from tobacco, 224
inoculation, mechanical, of potato spindle tuber virus in Solanum, 349
insects, cage for feeding through membranes, 890
insect transmission of tobacco mosaic virus, 822, **824**
insecticides, common names, 10
instrumentation systems for biometeorology, 1200
internode length, related to susceptibility of castorbean to Botrytis ricini, 249, **249, 250**
intranuclear inclusion bodies, in leaf crumple-virus infected cotton, 243, **243**
iris
Erwinia carotovora on, relation of Macronoctua onusta, 1190, **1190, 1191**
latent mosaic virus and yellow mosaic virus in Israel, 349
Ito, S., 1883-1962, biographical sketch, 993

Jabbar Miah, M. A., (887)
Jack, R. C. M., 879
Jaworski, E. G., 639
Jenkins, J. H., 623
Jenkins, W. R., (325), (347), (745), (746), (877)
Jennings, P. R., 492
Jiménez, F. A., (882)
Johnson, L. F., 879
Johnson, R. E., (872)
Jones, E. M., 879
Jones, J. P., 623
Joyner, J. F., (613)

Kabatiella caulivora, perfect stage of, methods for obtaining, 876
Kahn, R. P., 1356
Kais, A. G., 987
Kaiser, W. J., 1139
Kaufman, D. D., 956
Keil, H. L., 746
Kelman, A., (873)
Kemp, W. G., (618)
kenaf, Meloidogyne incognita acrita in, effects, 613, **613**
Kendrick, E. L., (416), 879
Kendrick, James Blair, biographical sketch, 373
Kendrick, J. B., Jr., (883)
Kennedy, B. W., 879
Kentucky bluegrass, parasitized by Aphelenchus avenae, 870
Kernkamp, M. F., (774)
Khadga, B. B., 623, 1331
Killinger, G. B., (886)
Kilpatrick, R. A., 349
Kimble, K. A., (876), (1143)
King, T. H., (351)
Kingsland, G. C., 623
Kirkpatrick, J. D., (892)
Klarman, W. L., 747, 863, 1317
Kline, D. M., (101), (884)
Klisiewicz, J. M., 241, (368), 1046, (1137)
Klotz, L. J., 302
Knorr, L. C., 1415
Koch, E. J., (745)
Koch, W., (24)
Kodama, T., 880
Koenig, R., 880
Kolbezen, M. J., 129, (140), (755), (1053)
Kommedahl, T., (884)
Konicek, D. E., 1140
Koocheki, H. K., (1138)
Kopp, L. E., (872)
Kosuge, T., 880, (1137)
Kreitlow, K. W., 800

Krikun, J., 880
Kuć, J., (1244), (1261)
Kuhlman, E. G., (877)
Kuhn, C., 732
Kunkel, J. F., (874)
Kuntz, J. E., (884)
Kybal, J., 363

Lacasse, N. L., 349
Laird, E. F., Jr., 48
Larson, R. H., (1426)
larvae, of Tylenchulus semipenetrans, halogenated hydrocarbon mixtures toxic to, 423, **424, 425**
late wilt disease of corn, caused by Cephalosporium maydis, 402, **403, 405**
latent mosaic virus, in iris in Israel, 349
Lawrence, C. H., 880
Lawson, R. H., 1140
Leach, J. G., (1190)
leaching, effect on respiration, in victorin-treated oat tissues, 621
leaf crumple virus, on cotton, intranuclear inclusion bodies in leaves, 243, **243**
leafhopper, transmits enanismo in small grains, 106, **106, 107**
leafspot
of geranium, caused by Xanthomonas pelargonii, histology of, 177, **178**
of holly, pathological anatomy of, 481, **482, 484, 486**
of sunflower, caused by Alternaria zinniae, 93, **94**
Leathers, C. R., (921)
Lebeau, J. B., 1395
Leben, C., 778, 880
lemon virus, latent, mechanical transmission of, 1145
Lentinus tigrinus, sporophores of, translocation in, related to specialized cells, 881
Leon, C. de, 25
Leone, I., (348)
Leonurus mosaic virus, infectious chlorosis transmitted to by whiteflies, 238
Leptosphaerulina briosiana
alfalfa infected by, 891
dissemination of, factors affecting, 938, **943**
growth of, factors affecting, 938, **943**
pathogenicity of, factors affecting, 938, **943**
sporulation of, factors affecting, 938, **943**
lesion nematodes, reaction to cycloheximide and duazomycin A., 352
L-ethionine, systemic and fungicidal activity, 883
letters to the editor
Gilmer, R. M., some synonyms of sour cherry yellows virus, 369
Rochow, W. F., use of detached leaves for studies on barley yellow dwarf virus, 615
Weintraub, M., W. G. Kemp, and H. W. J. Ragetli, conditions for systemic invasion by virus of a hypersensitive host, 618
lettuce
big-vein virus of
fungicidal control in irrigated crop, 597
transmission by Olpidium brassicae, 252
weed hosts of, 872
root symptoms and anatomical changes in, from injury by Pratylenchus penetrans and 2,4-dichlorophenoxyacetic acid, 349
yellow spotting of, tobacco rattle virus apparently related, 1139
Lewis, W. A., (734)
Libman, G., 747
life cycle of Puccinia carthami, 316, **317, 318**
light
effect on culture media, in inhibition of fungi, 1280, **1281, 1282**
effect on growth of Aspergillus restrictus, on agar, 893
effect on maturation of appressoria in Erysiphe graminis tritici, 882
effect on sexual reproduction of Hypomyces solani f. cucurbitae, 873
ligno-cellulose, utilization by common mold fungi, 882
lima bean, Fordhook, green-seeded, downy-mildew resistant, 748
lime, effect on incidence of Botrytis cinerea, gray mold of tomato, 149
Lindberg, G. D., 881
Lingappa, B. T., 529, (917)
Linsey, N., 350
linuron, chemical name, 10
Lister, R. M., 1031
Littlefield, L. J., 881
Lloyd, A. B., 329, 881
Lockwood, J. L., (329), (529), (881), 917
Loebenstein, G., 306, 349, 350
Loegering, W. Q., (932)
Long, D. W., 881
Lophodermium needle cast, on eastern white pine, 870
Lorbeer, J. W., (669)
Lowie, L. B., (1365)
Lownsbery, B. F., 667
Lowry, W. P., 1200
Lucas, G. B., (450), 624
Luke, H. H., (1363)
Lukens, R. J., 881
Lukezic, F. L., (873)
Luna, L. V., (727)
Lupcho, P., (870)
Lutey, R. W., 713
Luttrell, E. S., 281
lychee, infection of seedlings with Clitocybe tabescens, 358
Lycopersicon
resistance to tobacco mosaic virus, transfer of, 869
strains of tobacco mosaic virus specific for, 394, **396, 397**
Lyda, S. D., (950)
lysis
of fungi by sterilized soil inoculated with soil microflora, 917
of germ tubes, in cereal rusts, by Bacillus pumilus, 1346, **1347**

MacCarthy, H. R., 1161
MacDonald, D. H., 730
Mace, M. E., 692
Machmer, J. H., (624)
MacLennan, D. H., 1261
Macronoctua onusta, on iris, related to Erwinia carotovora, 1190, **1190, 1191**
Macrosiphum
pisi, transmits tobacco etch virus and potato virus Y to pepper, 48
solanifolii, transmits tobacco etch virus and potato virus Y to pepper, 48
Macrosteles fascifrons, recovery of aster yellows virus from organs of, 746
Maggenti, A. R., (667)
Magie, A. R., (653), (893), 1140
Mai, W. F., (313), (730), (879), (1368)
Malca, I., 341
Malvaceae, infectious chlorosis transmitted to, by whiteflies, 238
maneb, on Rhizoctonia solani, adapted tolerance, 875
manganese, effect on growth and sporulation of Glomerella cingulata, 352
Mankau, R., 881, 1140
Mankin, C. J., (360), (723)
Manzer, F. E., 350
maple
annual canker of, 352
decline of, factors associated, 349
Maramorosch, K., 350, (746), (891)
Marasmius oreades, formation of hydrogen cyanide by mycelial stage of, 1395

Marlatt, R. B., 597
Martens, J. W., (93)
Martin, J. P., (1143)
Martin, W. J., (1187)
Martinez, E. S., 938
Martinson, C. A., 634
Masri, S. S., 882
Matejka, J. C., (1140)
Mathre, D. E., 1140
Mathre, J. H., (950), (1141)
Mathur, S. B., 350
Matsui, C., (1374)
Matta, A., 574
Matthiola incana, resistance to turnip mosaic virus, 1276, **1277, 1278**
Maurer, C. L., 882
Maurer, F. T., (1138)
McCain, A. H., 184
McClanahan, R. J., 674
McClellan, W. D., 747
McCombs, C. L., 882, (961), (1365)
McDonald, W. C., 93, 771
McGahan, M. W., 882
McIntosh, D. L., 1372, 1447
McKeen, W. E., (532), (541)
McKittrick, R. T., (597)
McLean, D. M., 624
McNabb, H. S., Jr., (877)
McRitchie, J. J., 394
McVey, D. V., 882
Medicago, Phoma herbarum on, 1233, **1233**
Meiners, J. P., (747), (1419)
Melanoplus differentialis, transmits mosaic virus, 890
Melilotus alba, alfalfa mosaic virus severe on, 188, **189, 190**
Meloidogyne
effects on pea wilt, 745
eradication of, by chemical dips, 625
in soybeans, effect of temperature on growth of nematode, 663, **665**
in tobacco, effect of temperature on growth of nematode, 663, **665**
larvae, relation of physiological age to infectivity, 621
multiple core soil sampling, 624
on sweetpotato, varietal reaction to species and races of, 1187, **1188**
on white clover, effect on growth in field bins, 877
technique to obtain in aseptic cultures, 350
temperature, rapid cooling, effects on, 888
variation within and among species, 887
arenaria, in peanut roots, effect of 2 populations, 79, **80**
hapla
in pepper, relation to Pratylenchus penetrans, and M. incognita acrita, 325, **326**
in vitro hatching, affected by temperature, moisture, and age of egg mass, 353
on alfalfa development of, 1003, **1004**
incognita
control of temperature related, 879
in Dioscorea tubers, control of, 24
induces callus on carrot discs grown in vitro, 1309, **1310**
on alfalfa, development of, 1003, **1004**
predisposing agent for Fusarium wilt on cotton, comparison of indices, 1077, **1079**
incognita acrita
in cotton, related to Fusarium oxysporum f. vasinfectum, 624
in kenaf, 613, **613**
in pepper, relation to Pratylenchus penetrans, and M. hapla, 325, **326**
nematocides, effectiveness of application methods, 622
resistance to, use of photoperiodism in selecting, 613, **613**
javanica, toxicity of 1,2-dibromo-3-chloropropane and 1,2-dibromoethane and mixtures to, 428
melon mosaic, in cucurbits in Israel, identification of, 193
Menke, G. H., 882, 1349
Menser, H. A., 1304
Menzies, J. D., (1258)
Merriam, D. C., (349)
Merrill, W., 882
Merulius
americanum, trichlorobenzene soil toxicant against, 745
lacrymans, trichlorobenzene soil toxicant against, 745
metabolism of Puccinia graminis tritici and Uromyces phaseoli typica during germination, 86, **88-91**
methionine, systemic and fungicidal activity, 883
3-methyl-6-methoxy-8-hydroxy-3,4-dihydroisocoumarin, production of, by carrot root tissue, 1244
methylisothiocyanate
effectiveness of, as general soil fumigant under tropical conditions, 25
in soil, 1388, **1390-1392**
release of, related to use of Mylone, 1140
microbial antagonism in bean rhizosphere, effects of oat straw and supplemental nitrogen, 885
microflora, soil, inoculated on sterilized soil, effect on fungitoxicity, 917
microsclerotia of Verticillium albo-atrum, effect of root exudates on germination of, inhibited by soil fungistasis, 260, **262**
Milbrath, J. A., 1036, 1106, (1138), (1140)
mildew, downy, in hops; chemotherapeutic effects of streptomycin on, 472
Millar, R. L., 350, (351), (877)
Millecan, A. A., (884)
Miller, C. W., 350, 351
Miller, L. P., (879)
Miller, P. R., 1072
Miller, R. E., 313, 882
Millikan, D. F., 883
mineral nutrition of pepper, affected by Meloidogyne spp., 325
Mink, G. I., 973
Minton, E. B., (624)
Minton, N. A., 79, 624
Mirabilis jalapa, leaf blight of, caused by specialized form of Phytophthora infestans, 25
Mircetich, S. M., (1145)
Mitchell, J. E., (309), 883
Mitchell, R., 1068
miticides, common names, 10
moisture
effect on basidiospore dispersal of Fomes annosus, 352
effect on fungus survival in barley kernels, 713, **714-716**
effect on in vitro hatching of Meloidogyne hapla, 353
effect on Poinsettia root rot, related to temperature, pH, and pathogens, 509, **511-515**
effect on spring black stem of alfalfa, 1340
effect on Tylenchulus semipenetrans, 875
of soil, effect on Fusarium oxysporum, 875
of soil, effect on Pythium ultimum in Highland bentgrass, 53, **56**
of soil, effect on Tilletia caries infection of wheat by soil-borne spores, 416, **417**
of soil, effect on Xiphinema americanum, in absence of host, 876
of soil, related to development of Tilletia spp., 985
of soil, related to movement of Pratylenchus penetrans, 879
Moje, W., 423, 428, 883
mold, gray, of tomato, effect of lime on incidence of, 149
mold fungi, utilization of ligno-cellulose, 882
Monilia roreri, in cacao, methods of inoculation and environment favorable to infection, 26
Monilinia fructicola

spores, hydrothermal and hygrothermal inactivation, 747
spur cherry introduction, probable sources of resistance to, 883
Monroe, R. L., (1356)
Moore, C. J., (97)
Moore, J. D., 883
Moore, J. N., 883
Moore, L. D., 53
Moore, M. B., (887)
Moreno, J. D., 883
Morgan, F. L., 1346
morphology of Cercosporae, 500, **504, 505**
Morsink, F., 351
Morton, D. J., 624
mosaic virus, transmitted by beetles and grasshopper, 890
Moseman, J. G., 1326
Moss, L. M., (677), (684)
Motsinger, R. E., 624
Mower, R. G., 351
Mucor, on tomato, role of Drosophila melanogaster, 1016
Mueller, W. C., (880)
Muller, A. S., (886)
Mumford, D. L., 125
Munnecke, D. E., 788, 1140, (1141)
Murakishi, H. H., 884
Musa, Fusarium oxysporum cubense in, wilt resistance to, 26
mushroom
cultivated, Pythium artotrogus on, possible detrimental effect, 1360, **1361**
virus disease of, transmission by infected spores, 888
muskmelon
sudden wilt of, pathogens associated, 348
watermelon mosaic virus in, resistance to, 600
mutants, of Puccinia coronata avenae, for virulence, 171
Mycophaerella
aleuritidis ascospores, dispersal pattern on, simple technique for studying, 734, **734**
musicola, ascospore production in Honduras, 890
Myers, R. F., 884
Mylone, related to release of methylisothiocyanate, 1140
Myrothecium
roridum, in coffee, causes stem necrosis and leafspot, 25
verrucaria, storage in seeds of small grains, 348
Myzus persicae
length of probe, related to transmission of bean mosaic virus, 894
transmits strain of alfalfa mosaic virus to Medicago sativa, 188, **189, 190**
transmits tobacco etch virus and potato virus Y to pepper, important vector, 48, **49**

nabam, derivatives of, induce inversion phenomenon, 1138
Nadakavukaren, M. J., (973)
Nair, V. M. G., 884
Nakanishi, T., (1321)
naled, chemical name, 10
n-alkyl quaternary ammonium compounds, similarity of movement in aqueous systems, on paper chromatograms and in plant xylem, 605, **605, 606**
Narain, A., 1363
Nayudu, M. V., 300
n-dodecylguanidine acetate, effect on enzyme activity and nucleotides of ribonucleic acid, 892
necrotic ringspot virus
in Italian prune buds, 872
in Montmorency sour cherry, 872
in peach, 872
Nelson, G. A., 1167
Nelson, M. R., 1140
Nelson, P. E., 320, (1237)
Nelson, R. R., 101, 385, 884
nematocides, application methods, effectiveness on Meloidogyne incognita acrita, 622
nematodes
as vectors of plant viruses, 39
control of, in cranberry, 347
interrelations with other agents causing plant diseases, symposium on, 27
on cranberry, effects on growth, 871
organic soil amendments, effect on, 881
plant-parasitic, activity of Catanaria anguillulae against, 1140
plant-parasitic, materials discharged by, 884
potato rot, 374, **378, 379**
role in bacterial diseases, 35, **37, 38**
role in fungus diseases, 28
nematode-root relations, quantitative theory of, 878
new species, varieties, etc.
Dactylella stenomeces, 1050, **1051**
flat apple disease, 1138
Fusarium oxysporum Schlecht f. sp. carthami n. f., 241
Helminthosporium holmii, causes Dactyloctenium leaf blight, 281, **282, 283**
Heterodera lespedeza, 878
Heterodera sp., indescribed, 874
new race of Plasmodiophora brassicae, 1426, **1427, 1428**
pea streak virus, 894
Pyrenochaeta **mali,** 589, **590, 591**
Rhizoctonia **fragariae,** in Ontario, 532, **534, 535, 537**
Trichometaspaeria holmii, perfect stage of Helminthosporium holmii, 281, **282, 283**
Nichols, C. W., 884
nickel chloride, to control blister blight fungus in tea, 276, **277**
nickel fungicides, for commercial control of Puccinia striiformis in bluegrass, 209
Nicotiana
debneyi, symptomless host of potato spindle tuber virus, 884
glutinosa, tobacco mosaic virus on, electron microscope study of lesions, 893
rustica, symptomless host of potato spindle tuber virus, 884
tabacum, injury to, effects of ozone concentration and leaf maturity on, 1304, **1305, 1306**
nitrogen
compounds of
effect on sexual reproduction of Hypomyces solani f. cucurbitae, 1137
increased after soil fumigation, 870
effect on growth and sporulation of Glomerella cingulata, 352
supplemental, affects microbial antagonism in bean rhizosphere, 1430, **1432, 1434**
Nitzany, F. E., (193), 548
Norton, D. C., 66
Noveroske, R. I., (881)
N-polyhaloethylthio hydantoins, bactericidal properties of, comparative, 1138
nutrient levels, effects of Pratylenchus penetrans on, 877
nutrients, effects on spring black stem of alfalfa, 1340
nutrition
effect on Pythium ultimum in Highland bentgrass, 53
in vitro, of Xanthomonas malvacearum, 300
of host plant, response of ergot fungus to, 363
related to development of Cladosporium fulvum in tomato, 876
requirements and pathogenic variation in Ditylenchus destructor, 374, **378, 379**
vitamin, of Phytophthora parasitica, in Hawaii, 1194, **1197**

oak, Ceratocystis fagacearum in, sporulation in wounds, 348
oak, bur, Ceratocystis fagacearum in roots, related to spread of oak wilt, 884

oat straw, affects microbial antagonism, 1430, **1432, 1434**
oats
amino acids and amides in, infected by Pseudomonas spp., 885
barley yellow dwarf virus in, effects of variety, virus strain, and developmental stage of plants, 965
enanismo in, leafhopper transmission of, 106
Helminthosporium victoriae in, respiratory and enzymatic changes, 436, **437, 438**
leaching, effect on respiration of victorin-treated tissues, 621
Puccinia coronata on, photosynthetic phosphorylation by chloroplasts isolated from, 1376
residues, effect on Verticillium albo-atrum, 1141
rhizospheres, mycoflora of, in South Carolina, 623
S^{35} in, infected by Puccinia coronata var. avenae, 623
storage of fungi in seeds of, 348
uptake of Helminthosporium victoriae toxin, 888
Ustilago avenae on, effects on growth, 1363
var. Saia, Puccinia graminis avenae, race 6, virulent on in Israel, 239
O'Bannon, J. H., (1011)
O'Brien, M. J., 884
Ogawa, J. M., 97, (893), 950, 1141
Ohman, J. H., 884
Oku, H., (32)
oleander, Pseudomonas savastanoi in, pathological histology of tumors, 893
Old, K. M., 885
olive, pathogenicity of a Verticillium albo-atrum isolate from, 242
Olpidium brassicae
transmits big-vein virus of lettuce, 252
weed hosts of, 872
zoospores of, prolonging motility and virus-transmitting ability with chemicals, 1143
onion, Botrytis spp., on leaves of, 669, **671, 672**
oospores, of Aphanomyces euteiches, use of fluorescent stains in localization of DNA in, 351
Ophiobolus graminis, production of perithecia and microconidia in culture, 354
orange, Penicillium digitatum on, control with volatile aliphatic amines, 1053, **1055, 1056**
orange, sweet, Thielaviopsis basicola in, soil moisture related to growth reduction, 738
O'Reilly, H. J., (1372), (1447)
Orellana, R. G., (249)
organic soil amendments, effect on nematodes, 881
Orlob, G. B., 822
ornamentals, woody
effect of Criconemoides curvatum on, 746
effect of Pratylenchus penetrans on, 746
Orr, D. G., (747)
orthocide, effects on Rhizopus rots of peach, 950, **951-954**
Owen, J. H., (24), (58), (82)
oxidases, soluble, activity of in Thielaviopsis basicola-infected carrot slices, 497, **497, 498**
oxygen, requirement in a liquid medium for Phytophthora parasitica, P. citrophthora, and Thielaviopsis basicola, 302, **303, 305**
oxygen electrode, inexpensive, versatile, 782, **783**
ozone
effect on injury to Nicotiana tabacum, 1304, **1305, 1306**
emergence tipburn, possible cause of in white pine, 552, **553, 554, 556**
injury, to Pinus ponderosa foliage, 1072, **1073-1075**
injury, to vegetation, 348

P^{32} foliar uptake, effect of Uromyces phaseoli typica on, 876
Paden, J. W., (1258)
Page, O. T., 885, 946
Palmiter, D. H., 603
Pang, E-Wa, 351
Papavizas, G. C., 109, 116, 885, 1430
papaya, Phytophthora parasitica on, effect of radiation, 854, **855, 856**
Pappelis, A. J., 624, 624, 1100
parasitism
of Dothidella ulei, histology of, 24
of phanerogams in tropics, 26
Parker, K. G., (1368)
Parmeter, J. R., Jr., 885, (1072)
parsley, crown rot of, caused by Phytophthora parasitica, influence of soil temperature, 1113
Passiflora edulis, woodiness disease of, caused by 2 unrelated viruses, 1143
Patel, M., (887)
Patel, P. N., 407, 522, 885
pathogen dissemination, in spring black stem of alfalfa, 1340
pathogenicity
genetics of, in Cochliobolus carbonum x C. victoriae cross, 101
of Cercosporae, 500, **504, 505**
of Physopella zeae on corn, 25
of Phytophthora parasitica, in Hawaii, 1194, **1197**
of Puccinia carthami, inheritance of, 184
selective, of Fusarium oxysporum, physiology of in test tube culture, 133, **136, 138**
pathogens, in Poinsettia root rot, related to moisture, pH, and temperature, 509, **511-515**
Patil, S. S., (1141)
Patrick, Z. A., 152, (265)
Patterson, F. L., (171), (569)
Paulus, A. O., (627), 885
Paxton, J., 1141
pea
Aphanomyces euteiches in, effect of amino compounds on, 116, **117-120**
Aphanomyces euteiches in, effect of sulfur-containing amino compounds on, 109, **111-113**
southern, Cladosporium spot, resistance to, screened for in seedling stage, 625
Thielaviopsis basicola in root rot of, effect of soil temperature, host variety, and fungus strain on, 329, **330**
pea enation mosaic virus
isolates of, comparison, 813, **816, 817**
on Pisum sativum, causes giant stem enations, 245, **245**
pea streak virus, new, related to red clover vein mosaic virus, 894
peach
Cytospora canker in, chemotherapeutic suppression and exaggeration of, 562, **563, 565-567**
infection of seedlings with Clitocybe tabescens, 358
necrotic ringspot virus in, 872
Pseudomonas syringae on, relation of time of pruning, 874
Rhizopus spp. rot on, effects of DCNA and other fungicides, 950, **951-954**
Xanthomonas pruni on, control with bacteriophage, 746
peanut
inoculation and rust development, in greenhouse, 882
Meloidogyne arenaria on, difference in pathogenicity of populations, 79, **80**
quality, increased by delayed harvest and disease control, 623
Sclerotium rolfsii in, variation of species in susceptibility to, 746
tobacco ringspot virus, new host of, 872
yield, increased by delayed harvest and disease control, 623
peanut pod rot, pathogens of, 746
pear
decline of, graft-transmissible factor, 366
Phytophthora cactorum infection, in rootlets of, in pot tests, 1447

Phytophthora cactorum on rootlets of, evaluating amount of, 1372, **1372**
red leaf disorders in California, related to pear decline, 884
pectin methylesterase of Rhizoctonia solani, 1178, **1179, 1181, 1184**
pectinolytic activities, of Rhizoctonia culture filtrates and Rhizoctonia-infected bean tissue, 197, **198-202**
Pelargonium hortorum, viruses transmitted from, differentiation of, 1292, **1294, 1296, 1297**
Pelletier, R.-L., (892)
penetration, of potato seedling roots by Pratylenchus penetrans, 351
Penicillium
inhibited by sym-dibromotetrachloroethane, 755, **756**
in high-moisture rice, 804
digitatum
in citrus, evaluation of ammonia-generating formulations for control of, 140, **143-146**
on orange, control with volatile aliphatic amines, 1053, **1055, 1056**
oxalicum, corn root exudate associated with, 882
puberulum, on rice, cause of orange stain, 843, **844**
Pennisetum glaucum, inoculation with Sclerospora graminicola, 1142
pentachloronitrobenzene
on Rhizoctonia solani, adapted tolerance, 875
on Rhizoctonia solani, tolerance of, 625
tolerance to, among cotton isolates of Rhizoctonia solani, 1407, **1408**
pepper
potato virus Y on, genetics of response to, 720
Pratylenchus penetrans, Meloidogyne hapla, and M. incognita acrita in, host-parasite relations, 325, **326**
soil-borne virus disease of, in California, 885
tobacco etch virus and potato virus Y in, 48, **49**
Xanthomonas vesicatoria in
control by high nitrogen fertilizer, 623
inheritance of resistance, 622; 1060, **1061**
peppermint
Pratylenchus penetrans on, influence on growth, 1164
Puccinia menthae on, field disease cycle, 1063, **1064**
Verticillium albo-atrum on, influence on growth, 1164
perfect stage, Trichometasphaeria holmii, of Helminthosporium holmii, 281, **282, 283**
Periconia circinata, selective toxin of, purification, 785, **786**
peroxidase activity, effect of virus infection of, 350
Perry, V. G., (874)
persimmon, wilting of, caused by Cephalosporium diospyri, 1402, **1403, 1405**
pesticides, organic phosphorus, effect on phytopathogenic bacteria, 762, **764**
Petersen, D. H., (874)
Petersen, L. J., 630
Peterson, C. A., 351
Peterson, G. H., 765
Peterson, J. L., (872)
Peterson, L. C., (893)
Petunia hybrida, symptomless host of potato spindle tuber virus, 884
pH
effect on citrus root infection by Phytophthora parasitica, 1143
effect on Poinsettia root rot, related to moisture, pathogens, and temperature, 509, **511-515**
effect on Pythium ultimum in Highland bentgrass, 53
Phaltan, effects on Rhizopus rots of peach, 950, **951-954**
phanerogams, parasitic habits of, in tropics, 26
phenylhydrazones, Puccinia recondita, control of, 639, **642**
Phillips, D. V., (869)
Phoma herbarum
in alfalfa black stem, 774
medicaginis
on Medicago spp., resistant and susceptible, 1233, **1233**
stimulation of spore germination of, 350
Phomopsis, inhibited by sym-dibromotetrachloroethane, 755, **756**
phosphorus, high levels in soybean, reduced with Amo-1618, 874
Phymatotrichum root rot, recognition of, in aerial survey, 1141
Physalis peruviana, symptomless host of potato spindle tuber virus, 884
physical properties, of 5 cucurbit viruses in Israel, 193
Physopella zeae
on corn, pathogenicity studies, 25
on corn, pathology, 517, **519-520**
phytoalexin, cause of soybean resistance to Phytophthora spp., 1317
Phytophthora
on soybeans, resistance due to phytoalexin, 1317
soybeans, resistance to, 747
cactorum
induces infection of pear rootlets in pot tests, 1447
infection of pear rootlets, a way of evaluating, 1372, **1372**
cinnamomi
growth inhibition of, by soil diffusates on agar, 892
in soil, saprophytism and persistence, 1145
root rot, symposium article, 1128
citrophthora, oxygen requirement in a liquid medium, 302, **303**
drechsleri, selective pathogenesis within, 368
fragariae, Potentilla spp., hosts for, 883
infestans
base composition of soluble ribonucleic acid from, 885
oogonium germination, 899, **900**
release of amino acids and ribonucleic acids by, 946, **948**
specialized form of, cause of leaf blight of Mirabilis jalapa, 25
zoospores of, nuclear condition, 24
palmivora
complementary strains, from Ceylon rubber, 729
root exudates of cacao, and other plants, influence on spore development of, 1337
parasitica
hydrogen:calcium ratio, effect on citrus root infection by, 1143
in Hawaii, pathogenicity, vitamin nutrition, and cultural characteristics of isolates, 1194, **1197**
on citrus, variations in pathogenicity, 876
on parsley, influence of soil temperature, 1113
oxygen requirement in a liquid medium, 302, **303**
pH, effect on citrus root infection by, 1143
sporangial production, effect of radiation on, on artificial media and detached papaya fruit, 854, **855, 856**
parasitica nicotianae
effect of fungicides on respiration, 891
inoculum potential, relationship to certain chemical soil factors, 622
on fats and fatty acid derivatives, growth of, 877
phaseoli
culture of, on living and sterilized media, 233, **233**
on lima bean, Fordhook, resistant to, 748
sojae, in soybean, induced susceptibility in resistant plants, 863, **863**
Phytophthora root rot, of avocado, control of with alfalfa meal, 1383, **1385**
Pine, T. S., 179
pine
eastern white
chlorotic dwarf on, 874
Fomes pini in, 873
Fomes pini in, weeviled leaders favorable infection courts for, 348
slash, Fomes annosus in, control of, 874

white, emergence tipburn in, ozone a possible cause, 552, **553, 554, 556**
pine needles, as spore traps, 878
Pinus
black root rot of, 1132
Fomes annosus on, 1120, **1121**
contorta, infected by Cronartium comandrae basidiospores, 870
echinata, Fomes annosus on, effect of inoculum potential, 877
ponderosa
Ceratocystis spp. on, 1140
ozone injury of foliage, 1072, **1073-1075**
Pirone, T. P., (881)
Pisum sativum
mo mo resistance in, breakdown of by thermal selection within strains of bean yellow mosaic virus, 886
pea enation mosaic virus in, giant stem enations on, 245, **245**
Pitcher, R. S., 35
plant viruses, half-life concept, applied to, 548, **549, 550**
planting dates, influence on control of purple top wilt of potato, 24
Plasmodiophora brassicae, new race, affects Badger Shipper cabbage, 1426, **1427, 1428**
Platt, R. B., 1198
plum, Prunus ringspot virus on, passage of virus complex through seed, 1143
Poinsettia root rot, factorial analysis of environment and pathogens, related to, 509, **511-515**
polyethylene glycol, precipitation of plant viruses by, 362
polygalacturonase
host resistance to, in Rhizoctonia-infected tissue, 870
of Rhizoctonia solani, 1178, **1179, 1181-1184**
Polyporus tomentosus, in spruce, artificial infection, 441, **442**
Poncirus trifoliata, Tylenchulus semipenetrans in, 892
populations
of Meloidogyne arenaria on peanut, differences in pathogenicity, 79, **80**
of Xiphinema americanum in alfalfa, fluctuations of, 66, **67**
Poria
incrassata, trichlorobenzene, soil toxicant against, 745
vaillanti, trichlorobenzene, soil toxicant against, 745
weirii, root rot, symposium article, 1124, **1125, 1126**
Porter, F. M., 886
potato
Avon and Fundy, virus-like particle in, 839, **840, 841**
dehydrogenases of, affected by late blight, 892
Phytophthora infestans causes late blight of, infrared photography of, 350
Pratylenchus penetrans in, evaluation of soil fumigants to control early maturity wilt of, 347
Pratylenchus penetrans in, penetration of seedling roots, 351
purple top wilt in, influence of planting dates on control, 24
potato leaf roll virus
diphenylamine color reaction of leaf extracts to, 880
symptoms of, instability, 1161
potato spindle tuber virus
hosts, symptomless, 884
in Solanum, mechanical inoculation of, 349
technique for inducing diagnostic symptoms in tomato infected by, 893
potato virus X
amino acid concentrations in infected plants, 871
in Gomphrena globosa, systemic-induced resistance to, 306, **307**
on var. Avon and Fundy potato, virus-like particle, 839, **840, 841**
potato virus Y
amino acid concentrations in infected plants, 871
Capsicum annuum, var. Italian El, resistance to, 684
inhibitors of, from succulent-type plants, 677, **681**
in pepper, interaction with tobacco etch virus, 48, **49**
on pepper, genetics of response to 3 strains of, 720
tobacco veinal necrosis strain, in Solanum andigenum and S. cardenasii in U.S., 1356, **1357**
potato yellow vein virus, in Ecuador, 883
Potentilla spp., hosts for Phytophthora fragariae, 883
Pound, G. S., (893), (1041), 1146, (1150), (1276)
powdery mildew, in grapevines, related to osmotic value and other factors, 1139
Powell, N. T., 28
Powelson, R. L., 1141
Powers, H. R., Jr., (932)
Pratt, R. M., 1141
Pratylenchus
effect of host crop on soil populations, 875
injury by, assessed by root-knot resistant tobaccos, 623
brachyurus, separation and sterilization, from mixed nematode populations, 622
penetrans
attraction of by plant roots, 348
effects on nutrient levels in Ilex rotundifolia and Berberis julianae, 877
hosts for, suitability of cover crops, 730
in clover and lettuce, root symptoms and anatomical changes from injury by, 349
in corn roots, 313, **314**
in pepper, relation to Meloidogyne hapla, M. incognita acrita in, 325, **326**
in potato, evaluation of soil fumigants to control early maturity wilt, 347
in potato seedlings, penetration of roots of, 351
movement of, related to soil moisture and aggregate size, 879
on carrot, lesion injury, 886
on corn roots, reproduction of, on various media, 888
on peppermint, influence on growth, 1164
on woody ornamentals, effects, 746
reaction to cycloheximide and duazomycin A., 352
Price, R. M., (1272)
Pringle, R. B., (385), (465), (558), 785, (888)
Provvidenti, R., 886
prune, Italian, necrotic ringspot virus in buds of, 872
prune dwarf virus
compared with Prunus necrotic ringspot and rasp leaf viruses, 1436, **1437, 1438**
in cherry trees, pattern and rate of movement, 998, **1001**
in sour cherry, nonuniform distribution, 819
in sweet cherry, nonuniform distribution, 819
rates of movement, variability of strains in, 1106, **1107**
sedimentation properties, 891
Prunus
viruses on, comparison, 1436, **1437, 1438**
domestica, fungicides, high-potency, on: absorption, toxicity, and bioassay of, 895, **896**
Prunus necrotic ringspot virus
antigens associated with, 869
compared with prune dwarf and rasp leaf virus, 1436, **1437, 1438**
Prunus ringspot virus on plum, passage of virus complex through seed, **1143**
Pseudomonas
alliicola, pesticides, organic phosphorus, effect on, 762, **764**
caryophylli
on carnation, relation of soil temperature to symptom expression, 1237, **1237**
reaction of 21 commercial carnation varieties to, 320, **323**
glycines, tolerance to freezing temperatures, 879
savastanoi
in oleander, pathological histology of tumors, 893
Pseudomonas tonelliana, identical with, evidence, 653, **656-658**

tumor production by, physiological factors, 1140
solanacearum
in tobacco, inhibition of indoleacetic acid oxidase, 889
on bird-of-paradise, cause of wilt, 1115, **1115**
pesticides, organic phosphorus, effect on, 762, **764**
syringae, on peach, relation of time of pruning, 874
tomato, pesticides, organic phosphorus, effect on, 762, **764**
tonelliana, Pseudomonas savastanoi, identical with, evidence, 653, **656-658**
Pseudoperonospora humuli, in hops, chemotherapeutic effects of streptomycin on, 472
Pseudoplea briosiana, in alfalfa black stem, 774
psorosis "A" virus of citrus, transmission to an herbaceous host, 1142
Puccinia
arachidis, on peanut, in greenhouse, 882
carthami
in safflower, inheritance of pathogenicity, 184
spore stages and life cycle of, 316, **317, 318**
coronata, on oats, photosynthetic phosphorylation by chloroplasts isolated from, 1376
coronata avenue
in oats, distribution of S^{35}, 623
mutations for virulence in, 171
pathogenic potential of, 887
graminis
synthetic hybrid of, 344
avenae, isolates of race 6 virulent on oats, var. Saia in Israel, 239
tritici
in durum, inheritance of stem rust reaction, 295
infection type, genetic model for mechanisms governing development of, 932, **934, 935**
influence of vitamins and other compounds on degree of infection of wheat by, 230
metabolism during germination, role of glyoxylate enzymes in, 86, **88-91**
on wheat, effects on vitamin content, 879
on wheat varieties, inheritance of resistance to, 904, **906**
uredospores of, cold-induced dormancy and reversal in, 745
helianthi, use of, to discover new gene pools for rust resistance in safflower, 887
menthae, on peppermint, field disease cycle, 1063, **1064**
polysora, on corn, pathology, 517, **519-520**
recondita
control of, chemotherapeutic, with phenylhydrazones, 639, **642**
in wheat, resistance combinations of, 569
sorghi, in corn
pathology, 517, **519, 520**
second major gene locus conditioning resistance to, 221
stakmanii, on cotton, factors influencing development, 921, **923-926**
striiformis
germinating uredospores, technique for, 745
in bluegrass, commercial control with nickel fungicides, 209
on wheat, reaction affected by diurnal temperature profiles, 889
on winter wheat, overwintering in Montana, 1239, **1239**
pathogenic types in western states, 886
Purdy, L. H., 416, 886, 985, 1419
purification, of virus associated with grape yellow vein disease, 475, **476-479**
purple top wilt, in potato, influence of planting dates on control, 24
Pyrenochaeta mali n. sp., cause of apple rot, 589, **590, 591**
Pyrenophora teres, heterothallism in, 771, **771**
Pythium
oospores of, Dactylella **stenomeces** sp. nov. on, 1050, **1051**
peanut pod rot, pathogen of, 746
aphanidermatum
isolation from soil, technique for, 727
on turfgrass, effect of temperature on growth and disease spread, 857
artotrogus, on cultivated mushroom, possible detrimental effect, 1360, **1361**
debaryanum, Streptomyces rimosus on, 872
splendens, fertilizer and soil-fumigation effects on, in south Florida, 891
ultimum
damping-off, on melons, control with chloropicrin, 1144
in Highland bentgrass, effect of environment on, 53, **56**

Quercus prinus, Ceratocystis fagacearum in, sporulation in wounds, 348
Quinon, V. L., 1115
quinones
in barley, toxicity to loose smut fungi, 692
in wheat, toxicity to loose smut fungi, 692

raceme compactness, related to susceptibility of castorbean to Botrytis ricini, 249, **249, 250**
radiation, effect on sporangial production of Phytophthora parasitica, 854, **855, 856**
radish, Albugo candida on, nature and inheritance of resistance, 1150, **1152, 1153**
Radopholus similis, in grapefruit, effects of free amino acids and amides in roots, 419
Ragetli, H. W. J., (618), (893)
Rall, G., (870)
Ramachandran, S., (86)
Ramachandra-Reddy, T. K., 232
Ramsey, R. H., (97)
Rangaswami, G., 995
Raniere, L. C., (1031)
Raski, D. J., 39
Rasmusson, D. C., (125)
raspberries, red, raspberry mosaic virus on, heat-labile components of, influence on berry growth and yield, 1251, **1252, 1254**
raspberry mosaic virus, heat-labile components of, influence on growth and yield of red raspberries, 1251, **1252, 1254**
rasp leaf virus, compared with Prunus necrotic ringspot and prune dwarf viruses, 1436, **1437, 1438**
ratoon stunting disease, on sugarcane, effect of heat treatment, 894
Ravenscroft, A. V., (883)
Raymer, W. B., (884)
Rebois, R. V., (875)
red clover vein mosaic virus, related to new pea streak virus, 894
red leaf disorders, on pear in California, related to pear decline, 884
Reed, H. E., (622), 625
Reinert, R. A., 1292
Renfro, B. L., 774, 1340
reoviruses, related to wound-tumor viruses, 891
Resconich, E. C., 913
residues, plant, associated with phytotoxic substances, 152, **154, 158, 159**
resistance
of alfalfa to Uromyces striatus medicaginis, effect of recurrent phenotypic selection on, 432
of barley to Ustilago nuda, after embryo infection, 125, **126, 127**
of corn to Helminthosporium turcicum, selections for, 25
of corn to Puccinia sorghi, second major gene locus for, 221
of eggplant to Verticillium albo-atrum, screening for, 347

of Musa to Fusarium oxysporum cubense, 26
systemic induced, by localized necrotic virus infections, 306, **306, 307**
to corn stunt virus, tests for in tropical Mexico, 25
to white-rot fungi in coniferous woods, 351
respiration
changes associated with Helminthosporium victoriae in oats, 436, **437, 438**
effects of selective toxin of Helminthosporium victoriae, 465, **466, 467**
reviews, bibliography of, 1961-62, 1217
Reynolds, H. W., 1011
Rhizoctonia
host resistance to polygalacturonase in tissue infected by, 870
peanut pod rot, pathogen of, 746
Streptomyces rimosus on, 872
fragariae, sp. nov., in southwestern Ontario, 532, **534, 535, 537**
fragariae, in strawberry, interactions with roots, 541, **542-544**
solani
cotton isolates of, tolerant to pentachloronitrobenzene, 1407, **1408**
culture filtrates of, pectolytic activities of, 197, **198-202**
in alfalfa black stem, 774
in cotton, seedling infected by, 623
in tomato, causes soil rot of, 82, **83**
-infected tissues of bean, pectolytic activities of, 197, **198-202**
inoculum potential relationships, measured with soil microbiological sampling tubes, 634, **ff. 634 (color), 635**
isolate of, infection of seedling cotton hypocotyl by, 1331, **1332, 1334**
macerating enzyme of, 1178, **1179, 1181-1184**
on cotton, identification of 3 physiologic races, 889
on Red Kidney bean, cause of hypocotyl lesions, effect of gibberellic acid on development, 630, **631, 632**
on turfgrass, effect of temperature on growth and disease spread, 857
organic fungicides on, effects of temperature, specificity, and permanence of adapted tolerance, 622
pentachloronitrobenzene, tolerance to, 625
tolerance to fungicides, 875
Rhizopus
effect of DCNA and other fungicides on peach rots, 950, **951-954**
inhibited by sym-dibromotetrachloroethane, 755, **756**
tolerance to DCNA, variations in, 1141
arrhizus
DCNA in, mode of action, 893
DCNA on spores of, mode of action, 1144
stolonifer
on carrot, physiology of, 882
on tomato, role of Drosophila melanogaster, 1016
production of pectinolytic and cellulolytic enzymes, 929, **930**
spores, hydrothermal and hygrothermal inactivation, 747
rhododendron, crown gall on, 870
Rhopalosiphum padi, transmits barley yellow dwarf virus, bioassays of extracts, 351
ribonucleic acid
effects of n-dodecylguanidine acetate on enzyme activity and nucleotides, 892
from broad bean mottle virus, 880
released by Phytophthora infestans, 946, **948**
soluble, base composition of, from Phytophthora infestans, 885
rice
Bluebonnet 50, susceptible to strain H, sugarcane mosaic virus, 621
high-moisture, relation of storage molds and damage in, 804
Hoja blanca in, causes yield loss, 492, **492**
Penicillium puberulum on, cause of orange stain, 843, **844**
Rich, A. E., (348), (349), (349), 886
Richardson, L. T., 1141
Riker, A. J., (782), (889)
ringspot virus, from dahlia, 1140
ringspot virus complex of stone fruit, in apricot, shock symptoms of, 179, **181, 182**
Ripperton, L. A., (552)
Roberts, B. J., (344)
Roberts, D. A., 886
Rochow, W. F., (351), 355, 615
Rodrigues, L., (349)
Rodriguez V., A. E., 25
Rogers, J. D., 1141
Rohde, R. A., 886
Roistacher, C. N., (1138)
Romero, S., 25, 899
root exudates
effect on germination of Verticillium albo-atrum conidia and microsclerotia inhibited by soil fungistasis, 260
of cacao and other plants, on development of Phytophthora palmivora, 1337
root rot
black, of pine, symposium article, 1132
of bean, effect of phytotoxic substances from decomposing plant residues, 265, **266, 268**
of corn, effect of crop rotation on, 1412
of forest trees, symposium summation, 1135
of peas, caused by Thielaviopsis basicola, 329, **330**
rose, field, Agrobacterium rhizogenes in, 788, **789, 790, 792, 794-796**
rose mosaic, failure to spread in Virginia, 878
Rosen, H. R., 1889-1962, biographical sketch, 1243
Rosenkranz, E. E., 887
Rosinski, M. A., (871)
Ross, E. W., 351
Ross, J. P., 608, 887
Rotem, J., 1241
Roth, L., 25
Roth, L. F., 1128
Rotylenchulus, in California, 1140
Rowell, J. B., 932
Roy, I., 887
rubber
bird's eye leafspot on, 24
hevea, histological studies of Dothidella ulei on susceptible and resistant clones, 58, **59, 60**
Phytophthora palmivora from, complementary strains, in Ceylon, 729
Rubio W., R., (24)
Ruppel, E. G., 245, 813
russet ring, on apple fruit, symptoms produced by green mottle virus, 603, **603**
rust, stem, in durum, inheritance of reaction, 295
rye, storage of fungi in seeds of, 348

S^{35} in oat, infected with Puccinia coronata var. avenae, 623
Saari, E. E., 887
Sabet, K. A., (402)
Sackston, W. E., (350), 887
Safeeulla, K. M., 887, 1142
safflower
Botrytis cinerea on, relation of reducing sugars and hydrolytic enzymes, 1137
Fusarium oxysporum f. carthami in seed of, 1046, **1046-1048**
Puccinia carthami in, inheritance of pathogenicity, 184
Puccinia helianthi in, used to discover new gene pools for rust resistance, 887
root rot of, selective pathogenesis, 368

Stemphylium leafspot of, 886
vascular wilt of, caused by new Fusarium form, 241
St. Augustine grass, Heterodera on, new species, 874
Sakimura, K., 412
Salas, J. A., 25
Salerno, M., 605
S-alkyl-DL-derivatives, systemic and fungicidal activity, 883
salts, soluble, associated with maple decline, 349
Samra, A. S., 402
Sandstedt, R., 1309
San Juan, M. O., 1276
Sasser, J. N., 625, 625, 887
Satchuthananthavale, V., 729
Sayre, R. M., 888
SB 29, new virus, from Solanum phureja, 546, **547**
Schafer, J. F., (171), 569
Scharen, A. L., 747
Scharpf, R. F., (885)
Scheffer, R. P., (385), 465, 558, (785), 888
Schein, R. D., 351, 352
Schieber, E., 25, 25, 517
Schisler, L. C., 888, (1360)
Schmidt, R. A., (348)
Schmitthenner, A. F., (1412)
Schnathorst, W. C., 888, (1139), 1142
Schneider, I. R., (1255)
Schreiber, L. R., 260
Schroeder, H. W., 804, 831, 843
Schroeder, P. N., 888
Schroeder, W. T., (886)
Schroth, M. N., 610, 809
Schuster, M. L., (1309)
Sclerophthora, oospore characters in, 887
Sclerospora
oospore characters in, 887
graminicola, sporangial germination of, 1142
Sclerotium
bataticola, in sunflower, effect of temperature and age of host, 350
homeocarpa, on turfgrass, effect of temperature on growth and disease spread, 857
rolfsii
effect of fungicides on respiration, 891
in peanut, variation in susceptibility, 746
Scott, D. H., (883)
Scott, H. A., 889
Seaman, W. L., 1426
Seliskar, C. E., (874)
Semal, J., 1142
Semeniuk, G., (360), (723), (1167)
Septoria nodorum, on wheat, epidemiology of, 747
Sequeira, L., 332, 889
serology, of virus associated with grape yellow vein virus, 475, **476-479**
Severinia buxifolia, Tylenchulus semipenetrans in, 892
Seymour, C. P., (1443)
Shaffer, W. H., Jr., (876)
Shafiee, M. F., 325
Shalla, T. A., 366, 1142, 1142
Sharp, E. L., 889, 1239
Shatla, M. N., 625, 889, 1407
Shaw, C. G., (887), (1142)
Shepherd, R. J., 865
Sherf, A. F., (348)
Sherwood, R. T., (432)
shock, of apricot infected with stone-fruit ringspot virus complex, 179, **181, 182**
Siegel, A., (224)
Sievert, R. C., 889
Sigel, E. M., (888), (1360)
Silbernagel, M. J., 1235
Silberschmidt, K., (238)
Sill, W. H., Jr., (69), (1285)
Siller, L. R., 26
Simon, F. G., (1155)
Simons, J. N., 677, 684
Sinclair, J. B., (622), (623), (625), (869), (1331), (1407)
Sinclair, W. A., 352
Sinden, J. W., (888), (1360)
Sinha, R. C., 1170
Skelly, J. M., 352
Slack, D. A., 27
Slykhuis, J. T., 236
Smalley, E. B., 846
Smart, G. C., Jr., 374, 889
Smith, F. G., (1100)
Smith, L. R., 625
Smith, M. A., 589
Smith, W. L., Jr., 747
Snow, G. F., (1141)
Snow, J. A., (352)
Snyder, W. C., (152), (167), (809)
Sobers, E. K., 1443
sodium fluoride, effects on growth of pathogenic fungi, 891
sodium N-methyldithiocarbamate, in soil, decomposition of, 1388, **1390-1392**
soil amendments
for biological disease control, 1068, **1069, 1070**
rice hull, effect on microfloral populations, 625
soils, direct assay of fungistats in, 529
soil fumigants, to control early maturity wilt of potato, evaluation of, 347
soil fumigation, related to increase in nitrogenous compounds, 870
soil fungi
effect of carbon:nitrogen ratio on, 956
on Verticillium sp., antagonistic effects, 872
on white clover, effect on growth in field bins, 877
soil rot of tomato, caused by Rhizoctonia solani, 82, **83**
Solanum
potato spindle tuber virus in, mechanical inoculation of, 349
potato virus Y, tobacco veinal necrosis strain in, 1356, **1357**
phureja, new virus from, 546, **547**
Solberg, R. A., (988)
sorghum
pathogenicity of a hybrid head smut fungus, 360
rhizospheres, mycoflora of, in South Carolina, 623
Sphacelotheca reiliana in, physiologic specialization, 723
sour cherry yellows virus
causes fruit set reductions in cherry, 352
reduces fruit set in cross-pollinated cherry, 399
some synonyms of, 369
southern bean mosaic virus
cowpea strain, field occurrence and properties, 732, **732**
in bean leaves, progressive distribution of virus antigen, determined with fluorescent antibody stain, 1255, **1256-1257 (color)**
Sowell, G., Jr., 890
soybean
Heterodera glycines in roots of, relation of penetration, infection, development, and anatomical changes, 622
high-phosphorus levels in, reduction with Amo-1618, 874
interaction of soybean mosaic and bean pod mottle viruses, 887
Meloidogyne spp. in, effect of temperature on growth, 663, **665**
Phytophthora sojae in, induced susceptibility, 863, **863**
Phytophthora spp. on, resistance due to phytoalexin, 1317
Phytophthora spp., resistance to, 747
rhizospheres, mycoflora of, in South Carolina, 623
tobacco necrosis virus on, movement in systemic infection of, 913, **914, 915**
tobacco ringspot virus and Xiphinema americanum on, relationship, 871

soybean cyst nematode
control of, by crop rotation, 625
longevity of, influence of nonhost crops and nematocide, 625
soybean mosaic virus
host-range, purification, and electron microscopy, 388, **392**
on soybean, interacts with bean pod mottle virus, 887
Spaeth, J., (1155)
Spalding, D. H., 929
spectral reflectance, studies on crop plants and weeds, 747
Sphacelotheca reiliana
in corn, physiologic specialization of, 723
in corn, resistance to in Mexican races, 24
in sorghum, physiologic specialization of, 723
pathogenicity of a hybrid, to corn and sorghum, 360
spore germination
of Fusarium solani, requirements, 1155, **1157, 1159**
of Phoma herbarum and Colletotrichum trifolii, stimulation of, 350
spore stages, of Puccinia carthami, 316, **317, 318**
spore traps, pine needles as, 878
spores, fungus, glucose catabolism in, respiratory activity and enzymes for, 1021, **1024, 1028**
sporulation
of Ceratocystis fagacearum in wounds on infected oak trees, 348
of Cercospora zebrina, relation of environmental factors, 286, **292, 293**
of Glomerella cingulata, factors affecting, 352
spring black stem, of alfalfa, pathogen dissemination, effects of temperature, moisture, wounding, and nutrients, 1340
spruce
infection of seedlings by Cylindrocladium scoparium, 1267, **1268, 1269**
Polyporus tomentosus in, artificial infection, 441, **442**
Spurr, H. W., Jr., 782
squash, acorn, dry rot of, 874
squash mosaic, in cucurbits in Israel, identification of, 193
squirting cucumber mosaic, in cucurbits in Israel, identification of, 193, **194**
Stahmann, M. A., (890)
stalk rot, of corn, effect of crop rotation on, 1412
Stall, R. E., 149, (622), (1060)
staminate flowers, position of related to susceptibility of castorbean to Botrytis ricini, 249, **249, 250**
Staples, R., 969
Staples, R. C., 890
Starr, M. P., (788)
Starzyk, M. J., 235, 309
Stavely, J. R., 890
Stemphylium
botryosum, in alfalfa black stem, 774
floridanum, ray speck of chrysanthemum, 749, **750-752**
Stemphylium leafspot
host-parasite relations on birdsfoot trefoil, 1094, **1095, 1097**
of safflower, 886
on Echeveria, 1443, **1445**
on Kalanchoë, 1443, **1445**
on Sedum, 1443, **1445**
Stemphylium stem canker, host-parasite relations on birdsfoot trefoil, 1094, **1095, 1097**
stem pitting, effect on apple tree growth in New Hampshire, 886
Stessel, G. J., (872)
Stewart, V. R., (1419)
Stolzy, L. H., (302)
stomates, infection courts for Uromyces phaseoli typica in bean, 352
stone-fruit trees
Ceratocystis fimbriata on, 873
virus-infected, nature of pollen from, 1144
Stoner, W. N., 890
storage, fungus survival, effect on, in barley kernels, 713, **714-716**
Storm, L. W., 1142
Storrs, E. E., (871)
Stouffer, R. F., 890
Stover, R. H., 890
strawberry
Colletotrichum fragariae in, cause of new crown rot, 768, **769**
etiology of cauliflower disease of, 35
fungi associated with in Oregon, interrelationships among, 217, **219, 220**
Rhizoctonia fragariae in, interactions with roots, 541, **542-544**
Rhizoctonia **fragariae** sp. nov. in, degeneration of, 532, **534, 535, 537**
Street, O. E., (1304)
Streets, R. B., (1142)
Streissle, G., 891
Streptomyces
in corn rhizosphere, antibiotic production, 995
rimosus, on soil-inhabiting pathogenic fungi in vitro, fungistats and fungicidal effects, 872
scabies
direct assay of, technique using streptomycin resistance, 1258
on tubers produced in vitro, pathogenicity of, 880
streptomycin, chemotherapeutic effects on Pseudoperonospora humuli in hops, 472
streptomycin resistance, technique for direct assay of potato scab organism from soil, 1258
Stretch, A. W., 352
s-triazines, substitution and molecular configuration, influence on uptake by fungal spores, 871
Strider, D. L., 625
Strobel, G. A., 592
stubborn virus of citrus, transmission to an herbaceous host, 1142
Sudangrass
Pratylenchus penetrans, host for, 730
rhizospheres, mycoflora of, in South Carolina, 623
sudden wilt, of muskmelon, pathogens associated, 348
Sudia, T. W., (881)
sugarcane
heat treatment, control of ratoon stunting disease, 894
sugarcane mosaic virus in, electron microscopic demonstration of particles, 469, **470, 471**
sugarcane mosaic virus
cross-protection experiments, 869
in sugarcane and corn, electron microscopic demonstration of particles, 469, **470, 471**
strain H Bluebonnet 50 rice susceptible to, 621
sulfur
-containing amino compounds, effect on Aphanomyces euteiches in pea, 109, **111-113**
lack of, effect on Aphanomyces euteiches in pea, 116, **117-120**
Summers, T. E., 613, 891
Sundheim, L., 891
sunflower
Alternaria zinniae in, causes leaf and stem spot of, 93, **94**
Sclerotium bataticola in, effect of temperature and age of host, 350
survival, of Fusarium oxysporum cubense in soil, effect of urea applications on, 332, **334**
susceptibility, of castorbean to Botrytis ricini, factors predisposing to, 249, **249, 250**
Sweeney, S. A., (1140)
sweetpotato
Fusarium wilt, resistance to, anatomical aspects, 747
root-knot nematodes, varietal reaction to species and races of, 1187, **1188**
Swidler, R., (677)

sym-dibromotetrachloroethane, new fungistat, controls citrus fruit decay, 755, **756**
symposia
requirements and interpretations of biometeorological observations, APS annual meeting, 1962, 1198
root diseases of forest trees, at fifty-fourth annual meeting, 1120
symposium, introduction, 1198

Tachibana, H., 1142
Tammen, J., 749
Taylor, J. B., 1143
Taylor, O. C., (1072)
Taylor, R. H., (878), 1143
tea, blister blight fungus in, effect of nickel chloride in control of, 276, **277**
Teakle, D. S., (610), 1143
technique
artificial infection of spruce with Polyporus tomentosus, 441, **442**
automatic measurement of relative humidity in fruit shipping containers, 129, **130-132**
automatic suction-impaction spore trap used with onion blotch Alternaria, 382, **383**
bioassay of selective toxin of Periconia circinata, 785, **786**
cage for feeding insects through membranes, 890
direct assay of soils for fungistasis, 529
for evaluating resistance of cereals to barley yellow dwarf virus, 649, **650, 651**
for germinating uredospores of Puccinia striiformis, 745
for inducing diagnostic symptoms of potato spindle tuber virus in tomato, 893
for infesting citrus seedlings with Tylenchulus semipenetrans, 228, **228, 229**
for isolation of Pythium aphanidermatum from soil, 727
for studying dispersal pattern of Mycosphaerella aleuritidis ascospores, 734, **734**
infrared photography of potato late blight, 350
inoculation of cacao with Monilia roreri, 26
method for measuring rate of plant virus movement in tobacco, 1139
method of using mycelial, monosporidial isolates of Tilletia controversa in pedigreed hybrid crosses, 1235
multiple core soil sampling, for Meloidogyne spp. larvae, 624
photoperiodism, to select resistance of kenaf to Meloidogyne incognita acrita, 613, **613**
root-knot resistant tobaccos, used to assess injury by root-lesion nematodes, 623
separation and sterilization of Pratylenchus brachyurus from mixed nematode populations, 622
simplified method for identification of races of Uromyces phaseoli phaseoli, 456, **457, 458**
soil microbiological sampling tubes, measure inoculum potential relationships in Rhizoctonia solani, 634, **ff. 634 (color), 635**
to extract conidia from elm wood, 347
to obtain Meloidogyne sp. in aseptic cultures, 350
temperature
diurnal profiles, effects on reaction of wheat—Puccinia striiformis, 889
effect on basidiospore dispersal of Fomes annosus, 352
effect on cabbage virus A on Nicotiana glutinosa, 1041, **1042**
effect on fungus survival, in barley kernels, 713, **714-716**
effect on growth and sporulation of Glomerella cingulata, 352
effect on in vitro hatching of Meloidogyne hapla, 353
effect on Poinsettia root rot, related to pH, moisture, and pathogens, 509, **511-515**
effect on Pythium ultimum in Highland bentgrass, 53, **56**
effect on release of tobacco mosaic virus infection by ultraviolet irradiation, 894
effect on Sclerotium bataticola in sunflower, 350
effect on spring black stem of alfalfa, 1340
effect on Tylenchulus semipenetrans, 875
freezing, tolerance of Pseudomonas glycines to, 879
in alfalfa black stem, effect on lesion formation and disease severity, 774
in control of Meloidogyne incognita with oat straw, 879
lethal extremes for Anguina tritici, 347
low, effect on germination of Ustilago avenae chlamydospores, 357, **357**
optimum, for sporulation and germination of Cercospora zebrina, 286
rapid cooling, effects on Meloidogyne spp., 888
temperature of soil
effect on Fusarium oxysporum, 875
effect on Pythium ultimum in Highland bentgrass, 53
effect on Thielaviopsis basicola in root rot of pea, 329, **330**
effect on Tilletia caries infection of wheat by soil-borne spores, 416, **417**
influence on crown rot disease of parsley, 1113
related to symptom expression of Pseudomonas caryophylli on carnation, 1237, **1237**
2,3,5,6-tetrachloronitrobenzene, tolerance of Hypomyces solani f. cucurbitae, mode of inheritance, 1086, **1087, 1089-1091**
tetradifon, chemical name, 10
Thayer, P. L., 891
thermal inactivation, of alfalfa mosaic virus, 1036
Thielaviopsis
basicola
in carrot slices, activity of soluble oxidases, 497, **497, 498**
in pea root rot, effect of soil temperature, host variety, and fungus strain on, 329, **330**
in soil, influence of host and nonhost plants on populations of, 1174, **1175**
in sweet orange seedlings, soil moisture and growth reduction, 738
isolation media for, comparison of, 1143
oxygen requirement in a liquid medium, 302, **305**
populations of, effect of host and nonhost plants on, 347
paradoxa, in crown rot of boxed banana, 271, **272-274**
thiophosgene, split from captan by yeast, 881
Thomas, C. A., 249, 368
Thomas, W. D., Jr., (1138)
Thomason, I. J., (428), (885)
Thrips tabaci, vector of tomato spotted wilt virus, 412
Thrower, L. B., (354)
Thurston, H. D., (106)
Tilletia
caries
in wheat, effect of soil temperature and moisture on infection by soil-borne spores, 416, **417**
soil moisture, controlled, related to postinfection development, 985
contraversa
compatibility relationships in, 879
culture of, 892
in perennial grasses, incidence and control, 579
isolates of, in pedigreed hybrid crosses, 1235
on winter wheat, effect of time of infection, 1419
Tinline, R. D., (1109)
tobacco
Alternaria longipes causes brown spot on, epiphytology of, 450, **452, 453, 455**
amino acids and amides on, infected by Pseudomonas spp., 885
cabbage virus A on, response to temperature, 1041, **1042**
Meloidogyne spp. on, effect of temperature on growth, 663, **665**

Pseudomonas solanacearum on, inhibition of indoleacetic acid oxidase, 889
root-knot resistant, assess injury by root-lesion nematodes, 623
tobacco mosaic virus on, growth of secondary single-cell clones, 889
tobacco necrosis virus on, cytopathology of infection in leaves, 878
virus inhibitor from, 224
tobacco callus, parasitized by Aphelenchus avenae, 870
tobacco etch virus, in pepper, interaction with potato virus Y, 48, **49**
tobacco mosaic virus
aggregation of, in ground cytoplasm and chloroplasts of tomato, 1142
effects of time and temperature on release of infection by ultraviolet irradiation, 894
Epitrix cucumeris, new vector of, 822, **824**
host-specific Lycopersicon strains, 394, **396, 397**
in bean, heat activation of, 1144
in Chenopodium murale, characteristic form, 627, **628**
in Datura stramonium, systemic-induced resistance to, 306, **306**
inhibition, by plant juices, 624
inhibitors of, from succulent-type plants, 677, **681**
in Nicotiana glutinosa, electron microscope study of lesions, 893
insect transmission, 822, **824**
in tobacco, growth of secondary single-cell clones, 889
in tomato, characteristic form, 627, **628**
resistance to, transfer between Lycopersicon spp., 869
stain uptake in ultrathin sections of, 1142
suspended callus cells, infection of, 884
synthesis of, in nucleus and cytoplasm, 1137
ultraviolet preinoculation treatment of leaves, effect on, 1142
tobacco mosaic virus-ribonucleic acid content, ultraviolet preinoculation treatment of leaves, effect on, 1142
tobacco necrosis virus
in soybean, movement in systemically infected plants, 913, **914, 915**
in tobacco, cytopathology of, in leaves, 878
tobacco rattle virus
apparent strain, associated with yellow spotting of lettuce, 1139
electron microscopy of, 1137
tobacco ringspot virus
in blueberry, related to Vaccinium corymbosum, 1031, **1032-1034**
inheritance of resistance to, in Black cowpea, 337
inhibitor of, from peanut, 872
in peanut, new host, 872
related to Xiphinema americanum, on soybean, 871
soil transmission, Rio Grande Valley, 624
Tobolsky, I., 239
Toler, R. W., (625)
Tolin, S. A., 891
tomato
Botrytis cinerea in, effects of lime on incidence of gray mold, 149
Cladosporium fulvum in, relation of nutrition and development, 876
Fusarium wilt in, semeiography of, 1006, **1007, 1008**
Fusarium wilt in, symptoms related to quantity of fungus and enzyme activity, 574, **576, 577**
Rhizoctonia solani in, cause of soil rot of, 82, **83**
tobacco mosaic virus in, aggregation of, in ground cytoplasm and chloroplasts, 1142
tobacco mosaic virus in, characteristic form, 627, **628**
Verticillium albo-atrum var. menthae in, alteration of pathogenicity, 701, **703, 704**
Xanthomonas vesicatoria in
disinfection of, 747
multiplications on seedlings, 778
survival in diseased plants and soil, 765
tomato aspermy virus, related to cucumber mosaic virus, 876
tomato spotted wilt virus
vector, Frankliniella fusca, 412
vector, Thrips tabaci, 412
Torgeson, D. C., 891
Toussoun, T. A., (152), 265, (809)
toxicity
of 1,2-dibromo-3-chloropropane and 1,2-dibromoethane and mixtures to Meloidogyne javanica, 428
of halogenated hydrocarbon mixtures to Tylenchulus semipenetrans larvae, 423, **424, 425**
of Victoxinine, 558, **559, 560**
toxin
from decomposing plant residues, effect on root rot of bean, 265, **266, 268**
genetic control of, in Helminthosporium victoriae, 385
in arable soils, associated with decomposition of plant residues, 152, **154, 158, 159**
selective, of Helminthosporium victoriae, respiratory effects of, 465, **466, 467**
Traylor, J. A., 1143, (1144)
Tremaine, J. H., (869)
Treshow, M., 891
trichlorobenzene, soil toxicant, against 4 wood-decaying soil fungi, 745
Trichoderma
inhibited by sym-dibromotetrachloroethane, 755, **756**
viride, corn root exudate associated with, 882
Trichometasphaeria holmii, perfect stage of Helminthosporium holmii, causing Dactyloctenium leaf blight, 281, **282, 283**
Trifolium pratense, alfalfa mosaic virus severe on, 188, **189, 190**
Trione, E. J., 892
Troxel, A. W., (872)
Trujillo, E. E., 162, 167, (873), 1370
Tsao, P., 243
Tsao, P. H., (228), (488), 738, 892, 1143, 1143
Tu, J.-C., (878)
Tulare apple mosaic virus, properties of, 973, **976, 977**
tulip breaking virus, purification of, 1374, **1374, 1375**
tung, oil application on leaves, related to Cercospora aleuritides infection, 892
turfgrass, pathogens on, growth and disease spread, 857
Turner, N. J., 1388
Turner, P. D., 1337
turnip mosaic virus, resistance to Matthiola incana, 1276, **1277, 1278**
Tweedy, B. G., 892
Tylenchorhynchus claytoni, effects on pea wilt, 745
Tylenchulus semipenetrans
in citrus seedlings, method of infestation, 228, **228, 229**
influence on Fusarium solani, in growth reduction of citrus seedlings, 488, **488, 489**
in grapefruit trees, relation of DBCP treatments, 1011, **1013, 1014**
larvae of, halogenated hydrocarbon mixtures toxic to, 423, **424, 425**
moisture, effect on, 875
resistance, histological relationship in citrus rootstocks, 892
temperature, effect on, 875

ultraviolet irradiation, for release of tobacco mosaic virus infection, affected by time and temperature, 894
urea, effect on survival of Fusarium oxysporum cubense in soil, 332, **334**
Urocystis colchici, teliospores of, haploid behavior, 1142
Uromyces
phaseoli
heat therapy of, 1313, **1313-1315**
phaseoli
race 33, longevity of urediospores in storage, 736
races of, effect of urediospore concentration, 1138

simplified method for identification of races, 456, **457, 458**
typica
effect of foliar uptake of P^{32}, 876
in bean, leaf age and susceptibility, 351
in bean, stomates as infection courts, 352
metabolism during germination, role of glyoxylate enzymes in, 86, **88-91**
striatus medicaginis, in alfalfa, effect of recurrent phenotypic selection on resistance, 432
use of detached leaves for studies on barley yellow dwarf virus, letter to the editor, 615
Ustilago
quinones, toxicity to, in barley and wheat, 692
avenae
chlamydospores, effect of low temperature on germination, 357, **357**
on oats, effects on growth, 1363
nuda, in barley, resistance after embryo infection, 125, **126, 127**
Uyemoto, J. K., (876)
Uzzell, G., Jr., (625), (625)

Vaccinium corymbosum, on blueberry, related to tobacco ringspot virus, 1031, **1032-1034**
Vakili, N. G., 26
vancomycin, prevents crown gall, 1272, **1274**
van der Zwet, T., 734, 892
Van Gundy, S. D., 228, 488, 892
variant, of Gilbertella persicaria, from medium containing 2,6-dichloro-4-nitroaniline, 97, **98-100**
Varney, E. H., (1031)
Vaughan, E. K., (217), (456), (736), (1138)
vectors
Aceria tulipae, of wheat streak mosaic virus in corn, 279
Aphis gossypii, of squirting cucumber virus in Israel, 193
Epilachna chrysolemlia, of squash mosaic virus in Israel, 193
leafhopper, transmits enanismo in small grains, 106, **106, 107**
Myzus persicae, transmits strain of alfalfa mosaic virus to Medicago sativa, 188, **189, 190**
of 5 cucurbit viruses in Israel, 193
of plant viruses, role of nematodes, 39
of tobacco etch virus and potato virus Y in pepper, Myzus persicae important, 48, **49**
whitefly, transmits Xanthomonas pelargonii to geranium, 177
vector transmission, study of, antiserum for, from cucumber mosaic virus, 674, **675**
Venkata Ram, C. S., 276
Venturia inaequalis
chemotherapy of, with butyric acid derivatives, 1261, **1263, 1264**
on apple varieties, amino acids related to pathogenicity in wild-type lines, 979
Verticillium
in alfalfa black stem, 774
nabam on, inversion phenomenon, 1138
self-induced, nonhereditary variation in, 871
soil fungi on, antagonistic effects, 872
Streptomyces rimosus on, 872
albo-atrum
alfalfa and oat residues, effect on survival of, 1141
conidia and microsclerotia of, effect of root exudates on germination inhibited by soil fungistasis, 260, **262**
effect of biotin on, 1139
in apricot trees, inactivation of, 1143
in eggplant, screening for resistance to, 347
isolates of, relationships between inoculum potential and disease severity, 888
on peppermint, influence on growth, 1164
pathogenicity of an isolate from olive, 242
albo-atrum menthae, pathogenicity, alteration of, 701, **703, 704**
theobromae, in crown rot of boxed banana, acting in association, 271, **272-274**
Verticillium wilt, in cotton, reactions to, 586, **588**
victorin
oat tissues treated with, effect of leaching on respiration, 621
tissue treated with, materials leached from, 871
toxin produced by Helminthosporium victoriae, 436, **437, 438**
Victoxinine, toxicity of, 558, **559, 560**
Vidyasekaran, P., (995)
Villacreses, G. B., 26
Vinca rosea alba, new host of corn stunt virus, transmission and attenuation in, 350
Vincent, M. M., (889)
virulence, of Puccinia coronata avenae mutants, 171
virus, resembling bean virus 2, causes woodiness disease on passion fruit in Australia, 1143
virus, soil-borne, on pepper, in California, 885
virus, unidentified, from cucurbits, 1140
virus assay, method combines density-gradient centrifugation and Ouchterlony agar diffusion tests, 1138
virus disease, of mushroom, transmission by infected spores, 888
viruses
role of nematodes as vectors of, 39
transmitted from Pelargonium hortorum, differentiation of, 1292, **1294, 1296, 1297**
viruses, plant, precipitation by polyethylene glycol, 362
virus-free buds, absent in latent virus-infected cherry, 718
virus inhibitor
from tobacco, 224
succulent-type plants, sources of, 677, **681**
virus transmission
abdomen punctures, effect on, 1170
age of vector, effect on, 1170
Viswanathan, M. A., 892
vitamin content, in wheat, effects of Puccinia graminis tritici, 879
Vitis vinifera, virus isolates from, serological relationships, 878
von Ramm, C., 450

Wadley, B. N., 1143, 1144
Wagnon, H. K., (1143), (1144)
Wahl, I., (239)
Walker, J. C., (407), (522), (885), (1349), (1426)
Walker, J. T., 252
Wallin, J. R., 1210
walnut, Hendersonula toruloidea on, pathological anatomy of branches, 1141
watermelon, ringspot on fruit of, related to watermelon mosaic virus, 624
watermelon mosaic virus
in muskmelon, resistance to, 600
on watermelon, related to ringspot of, 624
Way, R. D., 352, 399
Weathers, L. G., (885)
Webb, R. E., (624), (747)
Weber, D. F., 1258
Weber, D. J., 893, (950), 1144
Weber, G. F., (643), (874)
Wehlberg, C., (891)
Weibel, J., (469)
Weinberger, J. H., (1143)
Weinhold, A. R., 1280
Weintraub, M., 618, (839), 893
Wellman, F. L., 26
Wells, J. M., 747
Welty, R. E., 893
Wenke, M., (1137)
Weste, G., 354
Wester, R. E., (233), 748

western X-disease virus, control of, in Utah orchards, 1143
wheat
enanismo in, leafhopper transmission of, 106, **106**
Kota and Marquis, inheritance of resistance to Puccinia graminis tritici, 904, **906**
Puccinia graminis tritici in
effects on vitamin content, 879
influence of vitamins and other compounds on degree of infection, 230
Puccinia recondita in, resistance combinations, 569
quinones in, toxicity to loose smut fungi, 692
rhizospheres, mycoflora of, in South Carolina, 623
scab of, caused by Fusarium; resistance to, caused by Gibberella zeae, 831, **834, 835**
Septoria nodorum on, epidemiology of, 747
storage of fungi in seeds of, 348
temperature, diurnal profiles, affect reaction to Puccinia striiformis, 889
Tilletia caries in, effect of soil temperature and moisture on infection by soil-borne spores, 416, **417**
winter
Puccinia striiformis on, in Montana, overwintering, 1239, **1239**
Tilletia contraversa on, effect of time of infection, 1419
wheat streak mosaic virus
distribution of, 236
on corn, 279
related to Agropyron mosaic virus, 969, **971**
relation of isolates from Rumania, Jordan, and Canada, 236
Wheeler, H., (436), (621)
Whidden, R., (876)
white clover mosaic virus, seed transmission of, 1139
whitefly
transmits infectious chlorosis of Malvaceae and Leonurus mosaic virus, 238
transmits Xanthomonas pelargonii to geranium, 177
white-rot fungi, in coniferous woods, resistance to, 351
Whitney, E. D., 893
Whitney, R. D., 441
Wiggs, D. N., (624)
Wilcoxson, R. D., (881), (1233), (1340)
Wildman, S. G., (894), (1142), (1144)
Wiles, A. B., 586, 984
Wilhelm, S., 1144
Wilkinson, R. E., (880)
Williams, B. J., 979
Williams, E. B., (1261)
Williams, H. E., (1143), 1144
Williams, L. E., 364, (956), 1412
Williams, N. D., (295), (904)
Williams, P. H., 893, (1146), 1150
Willis, G. M., (364)
Wilson, C. L., 1402
Wilson, E. E., 653, 893, (1140)
Wilson, F. D., (613), (891)
Wilson, R., (884)
Wilson, R. A., (746)
Winstead, N. N., (882), 961, 1365
Wisconsin pea streak virus
biochemical characterization of, 887
morphology of, 887
purification of, 887
Witcher, M., 705
Wood, F. A., (348), (352), (946)
Worley, J. F., 1255
wounding, effects on spring black stem of alfalfa, 1340
wound heartwood, in Iowa hardwoods, 877
wound-tumor virus, related to reoviruses, 891
Wu, J.-H., 894, (1142), 1144
Wuest, P. J., 353
Wynn, W. K., Jr., 1376

Xanthomonas
on guar, 890
malvacearum
common antigens with Gossypium hirsutum, related to host specificity and disease resistance, 1142
effect on antibiotics on, 869
effect of fungicides on, 869
in cotton, internally infected seed as source of inoculum for, 1397, **1399, 1400**
in cotton, related to boll rots, 984
nutrition in vitro, 300
pelargonii, in geranium, whitefly transmission of, 177, **178**
pruni, on peach, control with bacteriophage, 746
vesicatoria
control of, on pepper, effect of high nitrogen fertilizer, 623
in pepper, inheritance of resistance to, 622; 1060, **1061**
in tomato, survival in soil and diseased plants, 765
in tomato seed, disinfection of, 747
in tomato seedlings, multiplication of, 778
Xiphinema americanum
bacterial infection of, 745
in alfalfa, population fluctuations of, 66, **67**
related to tobacco ringspot virus, on soybean, 871
soil moisture, effect on, in absence of host, 876
soil moisture, effect on population levels, 667
soil temperature, effect on population levels, 667
xylanase system, produced by Diplodia viticola, 592, **593-595**

Yamaguchi, A., 1374
Yang, C. Y., (883)
Yarwood, C. E., 1144, 1145, 1313
yeast, splits thiophosgene from captan, 881
yellow mosaic virus, in iris in Israel, 349
yellow vein disease, of grape, purification and serology of associated virus, 475, **476-479**
yield, of cacao, effect of cushion gall disease on, 26

Zaitlin, M., 224
Zaumeyer, W. J., 444, 490, 894
Zeitoun, F. M., (762)
Zentmyer, G. A., (883), 1145, 1383
Zettler, F. W., 894
Zimmer, D. E., 171, 316
zoospores of Phytophthora infestans, nuclear condition, 24
Zscheile, F. P., Jr., (341)
Zummo, N., 894

ERRATA, VOLUME 52

Page 944, column 2, line 48, *read* (see this issue p. 913-917) *for* (unpublished data).

Page 945, column 1, *transpose* lines 4 and 5.

Page 982, reference (40), *read*: VENKATRAM *for* VENKATRRAM.

Page 992, column 1, line 3 of summary, *read*: larvae and eggs in cysts *for* larvae and eggs.

Page 1076, column 2, line 36, *read* Three hundred g of slices *for* Three-g slices.

Page 1102, column 2, in formula, *read* 3.2 *for* .28.

Page 1228, column 2, line 29, *read* (1) *for* (2).

Page 1284, column 1, second line from bottom, *read* full flush or *for* full flush on.

ERRATA, VOLUME 53

Page 31, column 1, line 31, *read arrhenomanes for arohenomanes*.

Page 98, Fig. 2, abcissa should be *labeled* Incubation time (hr).

Page 321, column 2, line 36, *read* Elegance *for* Eelegance.

Page 409, column 1, next to last line, *read* 28° *for* 25°.

Page 471, column 2, reference (12), for volume no. *read* 43 *for* 45.

Page 510, table 1, third column, for avg *read* 87.7 *for* 81.7.

Page 593, table 1, footnote [a], line 4, *read* 1 *N* NaOH for 1 NaOH.

Page 608, column 2, line 12 of text, *read* September 19 *for* August 19.

Page 622, column 1, *after* line 9 from bottom, *insert*, which split and single applications of D-D at 42 gal/acre.

Page 724, table 2, column headings, *read* IN3 *for* T3; IN1 for I1.

Page 725, column 2, line 5 from bottom, *read* 43 *for* 46.

Page 725, column 2, line 4 from bottom, *read* 21 *for* 20.

Page 742, column 2, line 16, *read* 49 *for* 19.

Page 871, column 1, for sentence beginning on line 9, *substitute*: Viruliferous *X. americana* transmitted TRSV within 8-24 hr after having access to non-infected plants.

Page 889, column 2, line 20, phrase beginning: Menoufi was *should read*: Menoufi was susceptible to 3 but resistant to 9 and T; and DeKalb was susceptible to 9 but resistant to 2 and 3.

Page 940, table 2 heading, *read* 7 temperatures[a] *for* 7 temperatures.

Page 969, first line of summary, *read Agropyron for Apropyron*.

Page 969, column 2, line 16 of text, delete that part of sentence beginning: and, as far as is known.

Page 970, column 1, last line, *read* for 22 days *for* of 22 days.

Page 993, column 2, third line from bottom, *read* 150,000 *for* 1,500.

Page 1006, column 1, second line from bottom, *read* cell walls *for* cell wells.

Page 1006, column 2, line 19 of text, *read* stains *for* strains.

Directory, D105, column 1, above next to last line, *insert* Maramorosch, K.